
External doors CREO | DECO | NOVA

W/ wishiowsk

WISNIOWSKI



For the last three decades, we have been following the idea of the founder of the WISNIOWSKI brand, Andrzej Wiśniowski, who made it his goal to create innovative products addressing all of our customers' needs.

We want your home to be safe, secure, and comfortable. Taking advantage of our 30 years of experience in the production of garage doors, gates, windows, doors, and fences, we offer our customers top quality products. We know what a modern home needs and what challenges the household may face.

Currently, our production hall spanning 200,000 square metres manufactures thousands of garage doors, gates, windows, doors, and fences every day. At the same time, we are also able to customize the products to meet our customers' requirements.

Everyone has different needs and expectations, which is why when manufacturing our products, we focus on listening to what you have to say. Meet the WISNIOWSKI brand – enter the world of comfort, safety, and security.



EXTERNAL DOORS CREO | DECO | NOVA

GENERAL OVERVIEW	4 - 7
CREO COLLECTION	8 - 37
DECO COLLECTION	38 - 55
NOVA COLLECTION	56 - 77
AVAILABLE MODELS	78 - 87
INSPIRATIONS	88 - 107

www.wisniowski.eu



Choose a door for you

The element of your home you interact with most often is the door. All the guests see it, too. The fence and the façade give the first impression from the outside, whereas the door is a part of two realms – the outside and inside of your home. This is what makes the choice especially important, as the door has to visually connect the interior with the building façade and its surroundings. Each building is different, so we made it possible to fully customize your WISNIOWSKI door. This way, you not only take care of the comfort and safety of your family, but you highlight the uniqueness of your home.

Aluminium CREO door with a double-sided flush panel

The whole face of the door leaf (inside and outside) is covered with top-quality aluminium sheets. The surface of the leaf is aligned with the surface of the frame, creating a flush, consistent, and elegant surface on both sides. Thanks to a special leaf infill and high-quality aluminium profiles, the Ud thermal transmittance factor

of the CREO door is as low as 0.8 W/m^2 (for the door size of 1,400 x 2,500 mm with a solid panel).

Aluminium **DECO door with** an insert panel

The door is available in three versions:

• DECO PLUS,

- · DECO BASIC,
- DECO LIGHT.

The door leaf is based on aluminium profiles of different thickness, which lets you choose a solution best suited to the specific requirements of a residential building.

NOVA external door with a steel leaf and an aluminium frame

opening frame with a thermal break 77 mm thick. extruded PU foam board with a double chamber glass unit.

The NOVA door structure is formed by an aluminium The leaf is made of steel sheet and infilled with an

Technology is the foundation of beauty

When creating our doors, we think about the design, modern trends, and appealing styling. But we put just as much effort into what cannot be seen at first glance. This approach guarantees that your door will not only look perfect, but will also provide security, safety, warmth, and peace and quiet for many years to come. Our investments into technologies of the Fourth Industrial Revolution make both our products and your life better and more beautiful.

Technical data					
Door type	CREO	DECO Plus	DECO Basic	DECO Light	NOVA
System	MB 86 SI+	MB 86 ST	MB 70	MB 60	AW
Installation depth	77 mm	77 mm	70 mm	60 mm	77 mm
Panel type	double-sided solid aluminium flush panel 77 mm thick	double-sided aluminium insert panel 45 mm thick	double-sided aluminium insert panel 45 mm thick	double-sided aluminium insert panel 35 mm thick	leaf 78 mm thick made of stainless steel, infilled with extruded PU foam and a laminated wood rail and stile
Type of glass panes in the panel	three-chamber safety glass 77 mm thick, U=0.6 W/m²K with a warm edge as standard	two-chamber safety glass 45 mm thick, U=0.6 W/m²K	two-chamber safety glass 45 mm thick, U=0.6 W/m²K	two-chamber safety glass 35 mm thick, U=1.0 W/m²K	two-chamber safety glass 72 mm thick, U=0.5 W/m ² K with a warm edge as standard
Thermal insulation	Ud from 0.8 W/m ² K for doors with reference dimensions of 1,400 x 2,500 mm	Ud from 1.2 W/m ² K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 1.4 W/m ² K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 1.8 W/m ² K for doors with reference dimen- sions of 1,250 x 2,200 mm	Ud from 0.94 W/m ² K for solid doors with external dimensions of 1,180 x 2,095 mm
Maximum dimensions	up to 1,400 x 2,500 mm	up to 1,250 x 2,200 mm	up to 1,250 x 2,200 mm	up to 1,250 x 2,200 mm	up to 1,180 x 2,095 mm

Your custom CRE(O)ated door

The design of the CREO door stands out thanks to its simplicity and elegance. It reflects the passion for modern trends in architecture and at the same time easily fits in with various approaches to decoration. What inspired the concept of the **CREO 300** was the observation of our customers' tastes. It is a design tailored to each user's individual vision. This unconventional approach to design allows you to become the creator of your own surroundings.



WISNIOWSKI provides a 5 year warranty for the CREO doors.



Welcome to the world of **CREO doors**

External aluminium doors by WISNIOWSKI are a perfect solution for customers who value originality and unlimited possibilities of choice adapted to their own vision of their home. WISNIOWSKI doors provide freedom to create an individual and unique model. This is our creative approach to the individual needs of our customers.

WISNIOWSKI doors are an optimal solution that combines excellent thermal parameters, as well as noise and burglary protection with functionality and beautiful design.





SAFETY

The RC2 and RC3 anti-burglary classification of the CREO doors certified by IFT Rosenheim Institute.



BURGLARY PROTECTION

0.8 W/m² × K

THERMAL INSULATION

THERMAL INSULATION

The thermal transmittance factor Ud is 0.8 W/m² for the CREO door with reference dimensions of 1.400 x 2.500 mm with a solid panel.



SOUND ABSORPTION

SOUND INSULATION

The CREO doors reduce noise from the outside to provide acoustic comfort.



RIGIDITY

CREO doors are certified for the 3rd climatic class according to PN-EN 12219:2001. Tested for E and D climates.



DESIGN

CREO doors are about universal design and the capability to create an individual product based on the 300 door.



LUXURY CLASS

Standard CREO aluminium doors include high-quality materials as standard, which guarantees safety, security, and durability and places them among products of the highest class in this segment.



WARRANTY

WARRANTY


The warranty for the CREO doors is 5 years. Door hardware and accessories are covered by a 24-month warranty.



ACCESS CONTROL

ACCESS CONTROL

WISNIOWSKI entrance doors may be fitted with a wide range of solutions providing full control over home access.



CREO doors

- 1 Aluminium door leaf 77 mm thick with a double-sided flush panel
- 2 The leaf frame and the opening frame are made of four-chamber aluminium sections with a thermal break
- **3** Liverpool I handle as standard, ten other types of handles in several colours are available as an option
- 4 **DuoSecure automatic three-point lock** without the day latch function as standard, electric locks available as an option
- 5 Day latch function button (inside activates the function, and outside – unlocks the lock). The external button can be installed in the lining or in the pull
- 6 Stainless steel decorative motifs as standard, optionally in mat structure and DECOR colours, film coated or black anodized
- 7 Stainless steel pulls, in black colour or with a wood bannister
- 8 Threshold with a thermal break and an 80 mm high thermal widening as standard
- 9 Three-chamber glass, 77 mm thick, U=0.6 W/m²K with a warm edge as standard
- **10 Roller hinges** as standard or optionally 3D adjustable hinges
- 11 Certified anti-burglary lock cylinder with an emergency function, five keys and two service keys as standard. Lock cylinders are available in black colour as an option

- **12** Anti-burglary bolts (optional accessory)
- **13 Milled patterns** with the option of matching to ribs in the sectional door
- **14** Electronic spy hole with a doorbell (optional accessory)
- **15** Access control systems (optional accessory)
- **16** Door closer concealed in the door leaf (optional accessory)
- 17 Stainless steel kicker plate installed in the bottom section of the panel





312

Colour: Modern Black (RAL 9005) Pull: Q5 40x20



Colour: HI COMFORT GRAY (RAL 9006) Pull: Q5 40x20

310

Colour: RAL 9003 Pull: Q10 40x20 Stainless steel kicker plate (option)



Colour: DECOR Golden Oak Pull: P10D Sidelight and toplight (colour: HI MODERN GRAPHITE) Glass: 33.1 (2B2) mat safety glass



Colour: HI MODERN GRAPHITE Stainless steel strips – option Pull: Q10 40x20 Colour: RAL 3003 Pull: P10 Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips) Colour: RAL 3004 Pull: P10 Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)



Colour: Modern Black Pull: Q5 40x40 Decorative motif: DECOR Winchester Sidelight Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)





Colour: RAL 1019 Decorative motif: black anodized Pull: Q10 40x20



Colour: HI MODERN MAROON Decorative motif: RAL 9011 Stainless steel strips – option Pull: Arco 04



Colour: Dark Oak film coating Pull: Q5 40x40



343

Colour: Decor Mahogany Pull: P1 Glass: 33.1 (2B2) mat safety glass




339

Winchester film coating Pull: Arco 04 Glass: 33.1 (2B2) mat safety glass



348

Colour: natural oak film coating Pull: P5, short Glass: 33.1 (2B2) mat safety glass







Colour: RAL 9002 Pull: Arco 04 Glass: 33.1 (2B2) mat safety glass



Colour: DECOR Anteak Pull: Q5 40x20 Glass: 33.1 (2B2) mat safety glass




Colour: Anthracite grey film coating Pull: P1 Glass: 33.1 (2B2) mat safety glass



Colour: DECOR Titanium Pull: Q10, 40x20 Glass: 33.1 (2B2) mat safety glass



Colour: Mountain Pine Pull: Q5 40x20 Glass: 33.1 (2B2) mat safety glass



Colour: Basalt Grey film coating Liverpool I handle Glass: 33.1 (2B2) mat safety glass



Colour: DECOR Concrete Pull: P5, short Glass: 33.1 (2B2) mat safety glass



336

Colour: RAL 5003 Pull: P5, short Glass: 33.1 (2B2) mat safety glass



Colour: RAL 5024 Pull: Q45RX 40x20 Toplight Glass: 33.1 (2B2) mat safety glass



Colour: RAL 7036 Pull: Arco 04 Glass: 33.1 (2B2) mat safety glass



344

Colour: swamp oak film coating Pull: Q5 40x40 Glass: 33.1 (2B2) mat safety glass



346

Siena PL film coating Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass



345

Colour: RAL 9001 Pull: Q5 40x40 Glass: 33.1 (2B2), mat safety glass



349

Colour: RAL 8025 Pull: Q45RX 40x20 Sidelight and toplight Glass: 33.1 (2B2) mat safety glass




Colour: RAL 8014 Pull: PSW Glass: 33.1 (2B2) mat safety glass Colour: RAL 1019 Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass



360

Colour: RAL 7021, RAL 1018 Pull: Q10 40x20 Sidelight Glass: 44.2 (P2) safety glass





401

Colour: RAL 1028 Decorative motif: black anodized Pull: V3 Glass: 33.1 (2B2) mat safety glass

.

402

Colour: RAL 8019 Stainless steel strips – option Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass

403

Colour: RAL 8017 Decorative motif: black anodized Stainless steel strips – option Pull: Pion Glass: 33.1 (2B2) mat safety glass



Colour: HI WILLOW GREEN Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass



Colour: HI ANTHRACITE Pull: Arco 04 Glass: 33.1 (2B2) mat safety glass Stainless steel strips – option



Colour: HI DEEP GREEN Pull: Q5 40x40 Glass: 33.1 (2B2) mat safety glass



414

Colour: RAL 7038 Stainless steel strips – option Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass 415


Colour: RAL 7024 Stainless steel strips – option Pull: V3 Glass: 33.1 (2B2) mat safety glass



CREO door accessories



Concealed hinges - option



Roller hinges in colours matching the door colour



Sensor - option



Day latch function button on the leaf – option



Anti-burglary bolts

are an optional accessory that increases the anti-burglary properties of the door. They are installed on the hinge side of the door leaf and on the frame. A different number of sets may be used for one leaf according to the required safety level.



Door closer concealed in the door leaf – option



Thermal widening by Stropex, height 80 mm

Lock types



DuoSecure automatic three-point lock





RC2



Autotronic HB motorized three-point lock with a child safety lock - option



Multi-point electric lock: Multitronic, Multitronic Komfort - option



Multipoint manual lock with integrated steel hooks and bolts Electric locks are convenient and provide better safety than traditional entrance security solutions.





Their compatibility with the smart home system is an added benefit. Get even more control over your house by controlling doors fitted with an electric lock using your mobile device.

Pull collection





 Z11
 Z23
 Z11

 O 34 mm
 O 34 mm
 500 mm

 500 mm
 500 mm
 500 mm

 oak wood
 stainless steel + oak wood
 oak wood

 Image: Solution of the second secon

stainless steel

P1 O 30 mm 620 mm stainless steel





⁽¹⁾ – The pull is also available with a microswitch or sensor feature.

Pull collection



_____ 100x5 mm 1,800/2,000/2,200 mm stainless steel

_____ 100x5 mm 1,800/2,000/2,200 mm stainless steel

Flush pull collection







V1 230x135 mm



V2 230x135 mm



V3 230x135 mm



Handle collection



Liverpool I colour: stainless steel split cover plate



Marseille colour: stainless steel split cover plate



Paris colour: stainless steel split cover plate



Paris I colour: stainless steel split cover plate



Stockholm colour: stainless steel split cover plate



Amsterdam colour: stainless steel split cover plate





Amsterdam I colour: black (mat) split cover plate





Amsterdam I colour: copper split cover plate





Amsterdam I colour: brass split cover plate



Toulon colour: black split cover plate



Liverpool colour: titanium oblong cover plate



Liverpool SKG*** colour: silver oblong cover plate - option



Toulon colour: silver split cover plate



Liverpool colour: old gold oblong cover plate



Denver colour: stainless steel oblong cover plate - option



Toulon colour: old gold split cover plate



Liverpool colour: silver oblong cover plate



Liège colour: black (mat) oblong cover plate - option



Toulon colour: titanium split cover plate



Liverpool colour: titanium oblong cover plate – option



Liverpool II colour: black (gloss) split cover plate



Liverpool colour: silver oblong cover plate – option





Escutcheon plate inswing door colour: stainless steel, Modern Black





Escutcheon plate outswing door colour: stainless steel, Modern Black

Sidelights, **toplights**





Left



Right and left sidelight (PD+LD)



Right sidelight + toplight (PD+GD)



Left sidelight + toplight (LD+GD)



Right sidelight + left sidelight + toplight (PD+LD+GD)



Toplight (GD)

Glass types









33.1 (2B2) mat safety glass ^{(1), (3), (4)}

33.1 (2B2) safety glass ^{(3), (4)}

Stopsol brown (1)



33.1 sanded (1), (2), (3), (4)



Stopsol brown (3), (4)



Stopsol grey (3), (4)

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

- ⁽¹⁾ Glass available with door leafs from 321 to 350.
- ⁽²⁾ Safety glass, sanded on both sides with viewing strips.
- ⁽³⁾ Glass available in sidelights and toplight.
- (4) Glass available with door leaf models 401-415.

DECO door collection with an insert panel


The DECO series aluminium doors will leave a lasting impression on all your guests.

They meet high technological requirements, which is characteristic of all our aluminium doors. Their highlights include high quality of materials, safety, and durability. With the perfected technology of implementing the insert panel in the leaf, we were able to achieve an exceptional design that makes your home entrance stand out.









DECO doors

- **Aluminium door leaf** with an insert panel with a thickness of:
 - 35 mm DECO Light,
 - 45 mm DECO Basic, DECO Plus.
- 2 The leaf frame and the opening frame are made of three-chamber aluminium sections with a thermal break
- 3 Standard double-sided Tokyo handle in 3 colours to choose from
- 4 Various types of handles and pulls (optional accessories)
- 5 DuoSecure automatic three-point lock without the day latch function as standard, electric locks available as an option
- 6 Double-sided stainless steel decorative motifs
- 7 Threshold with a thermal break as standard
- 8 Two-chamber safety glass as standard
- 9 Surface hinges as standard, concealed and roller hinges for the DECO Plus and DECO Basic doors are available as optional accessories
- Certified anti-burglary lock cylinder with a set of five keys as standard
- 11 Anti-burglary bolts (optional accessory)
- Electronic spy hole with a doorbell for the DECO Plus and DECO Basic (optional accessory)
- **Access control systems** (optional accessory)
- Door closer concealed in the door leaf DECO Plus and DECO Basic (optional accessory)











Glass: 33.1 (2B2) mat safety glass

Glass: 33.1 (2B2) mat safety glass



DECO Collection





145

Colour: Dark green film coating Pull: Q5 40x40 Glass: 33.1 (2B2) mat safety glass





DECO Collection



Colour: RAL 7040 Door handle: Tokyo Glass: 33.1 (2B2) mat safety glass





Glass: 33.1 (2B2) mat safety glass



Colour: RAL 3000 Door handle: Tokyo Glass: 33.1 (2B2) mat safety glass



Door handle: Tokyo Glass: 33.1 (2B2) mat safety glass

DECO Collection





Colour: HI MODERN GRAPHITE (RAL 7016) Door handle: Tokyo Glass: 33.1 (2B2) mat safety glass






DECO door accessories



Concealed hinges option – DECO Plus, DECO Basic



Roller hinges in colours matching the door colour option – DECO Plus, DECO Basic



Surface hinges in colours matching the door colour



Anti-burglary bolts are additional equipment that increases anti-burglary properties of the door. They are installed on the hinge side of the door leaf and on the frame. A different number of sets may be used for one leaf according to the required safety level.



Door closer concealed in the door leaf option - DECO Plus, DECO Basic



Door closer concealed in the leaf with a position lock option – DECO Plus, DECO Basic

Lock types

1



DuoSecure automatic three-point lock





Autotronic HB motorized three-point lock with a child safety lock - option



Multi-point electric lock: Multitronic, Multitronic Komfort - option Electric locks are convenient and provide better safety than traditional entrance security solutions.





Their compatibility with the smart home system is an added benefit. Get even more control over your house by controlling doors fitted with an electric lock using your mobile device.



Pull collection



P1 O 30 mm 620 mm **P5** O 30 mm 580/960/2,000 mm



~

Q5 40x40 mm 1,200/1,600/1,800 mm

Handle collection



Tokyo handle colour: silver, old gold, titanium oblong cover plate



Tokyo pull colour: silver, old gold, titanium oblong cover plate - option



Amsterdam colour: stainless steel split cover plate - option



Stockholm colour: stainless steel split cover plate - option



Marseille colour: stainless steel split cover plate - option



Denver handle colour: stainless steel oblong cover plate - option



Denver pull colour: stainless steel oblong cover plate - option



Paris colour: stainless steel split cover plate - option



Paris I colour: stainless steel split cover plate - option



Liverpool I colour: stainless steel split cover plate - option

Sidelights, **toplights**





Right sidelight (PD)

Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + toplight (PD+GD)



Left sidelight + toplight (LD+GD)



Right sidelight + left sidelight + toplight (PD+LD+GD)



Toplight (GD)

Glass types









44.2 (P2) safety glass ⁽¹⁾

33.1 (2B2), mat safety glass

Stopsol brown

Stopsol grey



33.1 sanded (2)



Stopsol brown (1)






Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase. (1) – Glass only available in sidelights and toplights. (2) – Safety glass, sanded on both sides, with viewing strips.

Discover NOVA

NOVA doors are aluminium and steel external doors which combine excellent technical parameters with vast decorative options. The collection includes 39 predefined models available with an extensive range of RAL mat structure colours, Decor colours, and wood effect film coatings. The standard accessories include an automatic three-point lock which – thanks to three points of action – ensures that the door resists water and wind. A high parameter of watertightness makes it possible to install the NOVA door even in areas without roofing, without any concern for its strength and durability.











U_afrom 0.94 [w/m²×K] – thermal insulation for solid door 1,180 × 2,095 mm. R_w = 33 [dB] – sound insulation according to PN-EN ISO 717-1:2013 for glazed doors.

10 Million

NOVA door

- **Door leaf 78 mm thick** steel, with a thick rebate, infilled with a PU board and a laminated wood rail and stile
- 2 Aluminium opening frame made of three-chamber sections with a thermal break 77 mm deep
- **3 Plastic threshold** in black colour as standard, an aluminium threshold with a thermal break is available as an optional accessory
- 4 Automatic three-point lock without the day latch function with 3 strike plates enabling simple adjustment; optionally a lock with the Autotronic electric motor
- 5 A broad range of handles and pulls made of stainless steel or in black colour
- 6 Standard lock cylinder with 3 keys in stainless steel colour, optionally in black colour
- 7 3 hinges adjusted in 3 planes
- 8 Anti-burglary bolts 6 pieces as standard
- **9 Gasket in the leaf** around the circumference and an additional one in the opening frame
- 10 In the leaf double-chamber safety glass with black warm edges recessed in the leaf lining, in sidelights – doublechamber safety glass with a black warm edge
- 11 Colours leaf made of galvanized and powder coated sheet in dedicated RAL colours (mat structure), also available in HI 2.0 and Decor colours, as well as with wood effect film coatings
- **12** Day latch function buttons (optional accessories)
- 13 Access control systems (optional accessories)
- **14 Door closer concealed in the door leaf** (optional accessory)





001

Colour: DECOR Titanium Pull: Q10 40x20



Colour: DECOR Concrete Stainless steel strip Decorative motif: Modern Black RAL 9005 Pull: Q10 40x20 Colour: HI Comfort Grey Decorative motif: DECOR Concrete Pull: P5





011

Colour: Modern Black RAL 9005 mat structure Decorative motif: DECOR Calvados Pull: Q10 40x20 Colour: DECOR Calvados Decorative motif: stainless steel Pull: Q45 RX



021

Colour: HI Modern Maroon Decorative motif: stainless steel Pull: P5



010

Colour: Quartz Decorative motif: stainless steel Pull: P5



Colour: Modern Black RAL 9005 mat structure Decorative motif: stainless steel Pull: Q10 40x40 black Glass: 44.2 (P2) mat safety glass



009

012

Colour: DECOR Winchester Decorative motif: stainless steel Pull: Q45RX

Colour: RAL 7037 mat structure Decorative motif: stainless steel Haga handle



023

028

Colour: DECOR Titanium Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2 (P2) mat safety glass Colour: HI True Blue Decorative motif: DECOR Titanium Pull: Q5 40x20 Glass: 44.2 (P2) mat safety glass

004

Colour: RAL 5004 mat structure Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

024

Colour: DECOR Pinia Oak Decorative motif: stainless steel Pull: Q5 40x20 Glass: 44.2 (P2) mat safety glass





Colour: DECOR Golden Oak Decorative motif: Modern Black RAL 9005 mat structur Pull: P5



022

Colour: DECOR Golden Oak Decorative motif: Modern Black RAL 9005 mat structure handle: Ceres



018

Colour: Modern Black RAL 9005 Decorative motif: DECOR Golden Oak Pull: P5







800

Colour: RAL 7006 mat structure Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2(P2) mat safety glass



002

Colour: DECOR AnTeak Decorative motif: stainless steel Pull: P5 Glass: 44.2(P2) mat safety glass



005

Colour: RAL 7047 mat structure Decorative motif: stainless steel Pull: P5 Glass: Stopsol grey



Colour: DECOR Titanium Decorative motif: stainless steel Pull: Q10 40x40 Glass: 44.2 (P2) mat safety glass

Colour: HI Modern Graphite Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass





006

Colour: DECOR Titanium Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

017

Colour: HI Modern Graphite Decorative motif: DECOR Titanium Pull: Arco 01 Glass: 44.2 (P2) mat safety glass





019

Colour: HI Smoke Green Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

029

Colour: HI Comfort Grey Decorative motif: stainless steel Pull: Q10 40x40 Glass: 44.2 (P2) mat safety glass



026

Colour: RAL 7024 mat structure Decorative motif: Modern Black RAL 9005 mat structure Pull: P5 Glass: Stopsol grey

027

Colour: RAL 3000 mat structure Decorative motif: stainless steel Pull: P5 Glass: Stopsol grey



030

Colour: DECOR Wenge Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

025

Colour: DECOR Walnut Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

007

Colour: RAL 7006 mat structure Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2 (P2) mat safety glass

031

Colour: RAL 7047 mat structure Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2 (P2) mat safety glass





Winchester film coating Decorative motif: stainless steel Pull: P10 Glass: 44.2 (P2), mat safety glass



033



Glass: 44.2 (P2), mat safety glass

NEW MODEL





NEW MODEL



Colour: RAL 7037 mat structure Pull: P5 Glass: Stopsol grey

NEW MODEL



036

Colour: RAL 6012 mat structure Pull: P5 Glass: 44.2 (P2), mat safety glass





Colour: DECOR Pinia Oak Pull: P5 Glass: 44.2 (P2), mat safety glass





Glass: 44.2 (P2), mat safety glass

NEW MODEL




Colour: Modern Black RAL9005 mat structure Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2), mat safety glass

NEW MODEL

WISNIOWSKI 71

NOVA door accessories








Anti-burglary bolts



Door closer concealed in the door leaf with a position lock - option



Door closer concealed in the door leaf - option



Thick rebate



Stainless steel decorative motif or in DECOR and RAL mat structure colours





- option

Optical spyhole Single-channel fingerprint scanner, code keypad, and RFID reader - option

Lock types



Three-point automatic lock with deadbolt latches




.....

Autotronic three-point motorized lock with a child safety lock – option



Microswitch - option



Day latch function buttons – internal and outdoor



P1 P5 O 30 mm O 30 mm 620 mm 580/960/2,000 mm **P10** Q5 Q10 Q45RX Q5 Q10 Q45RX 40x40 mm 40x40 mm 40x40 mm O 30 mm 🗀 40x20 mm 🗀 40x20 mm 🗀 40x20 mm 1,200/1,600/1,800 mm 1,200/1,600/1,800 mm 1,200⁽¹⁾/1,600/1,800 mm 1,200⁽¹⁾/1,600/1,800 mm 1,200 mm⁽¹⁾ 1,200 mm⁽¹⁾ 1,200/1,600/1,800 mm stainless steel stainless steel stainless steel black black black

⁽¹⁾ - The pull is also available with a microswitch feature.

Pull collection



ARCO 01 O 34 mm 1,200 mm ⁽¹⁾







Denver colour: stainless steel oblong cover plate





Haga colour: black anodized, inox oblong cover plate



colour: black mat, inox oblong cover plate



Jupiter Premium colour: black anodized, inox





colour: black anodized, inox split cover plate



Diana colour: black anodized, inox split cover plate RC class



Sidelights, toplights

Sidelights / toplights used in the NOVA doors are elements in separate frames.



Right sidelight (PD)

Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + toplight (PD+GD)



Left sidelight + toplight (LD+GD)



Right sidelight + left sidelight + toplight (PD+LD+GD)



Toplight (GD)

Glass types





44.2 (P2) mat safety glass

44.2 (P2) safety glass



33.1 (2B2) mat ⁽¹⁾



33.1 (2B2) ⁽¹⁾



Stopsol brown



Stopsol grey

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

⁽¹⁾ – Glass only available in sidelights and toplights.



A feast of **colours**

Colour is the first feature our senses react to. We made every effort to ensure that the colour palette of WISNIOWSKI external doors should cater to even the most sophisticated tastes. Different finishing technologies provide a unique look to the CREO, DECO, and NOVA doors. Mat structure colours from the RAL and DECOR palettes provide exceptional visual effects, while film coating makes it possible to obtain a wood-effect structure. Create your individual colour composition to match both your interior and façade design. Open up to new possibilities. Embrace





Thanks to the bicolour mat structure painting option for the door, the colour of the CREO door can be different inside and outside.

Mat structure colours, DECOR and film coatings.

the colours



Standard colours

(mat structure)



⁽²⁾ – The Bicolour option available for the CREO doors.

Film coatings

Film coatings available for the CREO, DECO, and NOVA door collections⁽¹⁾.



Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

(1) - NOVA door available with the following film coatings: Golden Oak 2178001-167, Walnut 2178007-167, Winchester 49240, Anthracite Grey 701605-167, Woodec Turner Oak Malt F4703001.

Walnut

ia Oa

DECOR colours

Golden Oak

Wenge (Dark Oak)

Titanium

Special colours

(mat structure)

Winchester

Ebon

Mahogany

Calvados

Concrete

RAL 1001	RAL 1003	RAL 1004	RAL 1011	RAL 1014	RAL 1015 ⁽⁷⁾
RAL 1016	RAL 1018	RAL 1019	RAL 1021	RAL 1023	RAL 1028
RAL 1032	RAL 2000	RAL 2001	RAL 2002	RAL 2003	RAL 2004
RAL 2008	RAL 2009	RAL 2010	RAL 2011	RAL 3001	RAL 3002
RAL 3003	RAL 3004	RAL 3005	RAL 3007	RAL 3009	RAL 3011
RAL 3012	RAL 3013	RAL 3016	RAL 3018	RAL 3020	RAL 3031
RAL 4004	RAL 4005	RAL 4006	RAL 4007	RAL 4008	RAL 4010
RAL 5000	RAL 5001	RAL 5002	RAL 5005	RAL 5007	RAL 5008 ⁽¹⁾



⁽¹⁾ – The Bicolour option available for the CREO doors.



Special colours

(mat structure)

RAL 5009	RAL 5010	RAL 5011	RAL 5012	RAL 5013	RAL 5014	RAL 5015	RAL 5017	RAL 5018	RAL 5019	RAL 5021
D.1 502	D. 1503 (⁰)			511 6004	D.1. 6007	D41 6000	DIL COM	D41 6017		
RAL 5023	RAL 5024 ⁽¹⁾	RAL 6001	RAL 6003	RAL 6004	RAL 6007	RAL 6008	RAL 6011	RAL 6013	RAL 6014	RAL 6015
RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6021	RAL 6022	RAL 6027	RAL 6029	RAL 6033	RAL 6034	RAL 7000
RAL 7001	RAL 7002	RAL 7003	RAL 7004	RAL 7005	RAL 7008	RAL 7009	RAL 7010	RAL 7011 ⁽¹⁾	RAL 7012	RAL 7013
RAL 7015	RAL 7022	RAL 7023	RAL 7030 ⁽¹⁾	RAL 7031 ⁽¹⁾	RAL 7032	RAL 7033	RAL 7034	RAL 7036 ⁽¹⁾	RAL 7038 ⁽¹⁾	RAL 7039
RAL 7040	RAL 7042	RAL 7044	RAL 7045	RAL 7046	RAL 8000	RAL 8001	RAL 8002	RAL 8003	RAL 8004	RAL 8007
RAL 7040	RAL 7042	RAL 7044	KAL 7045	RAL 7046	RAL 6000	KAL OUUI	RAL 8002	RAL 6005	RAL 6004	RAL 6007
RAL 8008	RAL 8012	RAL 8015	RAL 8016	RAL 8017	RAL 8019	RAL 8022	RAL 8023	RAL 8024	RAL 8025	RAL 8028
RAL 9002	RAL 9003	RAL 9004	RAL 9008	RAL 9011	RAL 9017	RAL 9018	Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase. () – The Bicolour option available for the CREO doors.			

Home Inclusive 2.0 colours

HIEARTH













HI FERN GREEN

HI QUARTZ GREY



HI DEEP GREEN











Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

NEW! COLOURS

The Home Inclusive 2.0 colour collection

Add exceptional character to your property with the unique depth effect of the HI 2.0 colours.



Access control systems









Code keypad, single-channel

Two-channel proximity reader

Single-channel fingerprint scanner

Bluetooth reader with a touch keypad



RFID reader









SmartTouch touch reader integrated with the pull



Two-channel fingerprint scanner with the "guest" feature.



Two-channel code keypad



Electronic spy hole with a doorbell, memory card, and infrared photo camera with motion detection



Four-channel remote control



Day latch activation button – in black colour





DoorLock by Somfy controlled via the Internet

LockController io by Somfy



Connexoon by Somfy



AirKey lock cylinder





C-lever electronic lever



l am smartCONNECTED

The multitude of features behind the smartCONNECTED name is an investment that benefits your entire family. With smartCONNECTED, you no longer need to lug around a heavy bunch of keys to get inside your home. Parents can let their children inside without leaving the office. You can also check whether the door is locked by using your smartphone. What is more, thanks to the use of algorithms, your smart home can learn the lifestyle of its inhabitants and perform basic actions for them, such as activating the alarm or the motion sensor.




Treat yourself to comfort **and safety**

- Control your garage door, gate, and entrance door remotely
- Take advantage of global positioning
- Stay in touch with your home



SmartCONNECTED brings the CREO and DECO doors with an electric lock to the next stage of product development and makes it possible to tailor them to the requirements of increasingly demanding customers. On the one hand, it makes it possible to control the devices with a smartphone, and on the other, it gives the users full control and lets them stay in touch with their home from any place in the world. io-homecontrol® makes it possible to wirelessly connect the Lock Controller io to the smart home system controlled by one of the Somfy central control units: TaHoma® Premium or Connexoon with the Connexoon Access application. Building a comprehensive smart home provides a number of benefits and additional features that enhance your comfort every single day.

88













NOVA | 015 | Anthracite Grey / Ebony PRIMO | Anthracite Grey





















| 100







102 CREO | DECO | NOVA







Let us inspire you in your search for new solutions!

WISNIOWSKI doors protect access to your home and improve its appeal not only from the front. To ensure comprehensive safety and create a visually cohesive effect, we prepared a range of technical doors, side doors matching the garage door, and patio doors. Discover how much we can offer you. **WISNIOWSKI. Garage doors, windows, doors, gates, fences.**

It's great when everything goes together perfectly...

because harmony is the highest form of beauty. Choose your **garage door, windows**, and **shutters**, as well as **doors** and **fence** in the Home Inclusive[™] system, which will create a matching set in terms of design and colour. Highlight this harmony with the smartCONNECTED smart control function and meet perfection that will never go out of fashion. A matching set of joinery and fence? From a single manufacturer in uniform design – because it is great when all the elements harmonize with your dreams, your home, and one another.







HI QUARTZ GREY











UE COLOURS!







HI DEEP GREEN





It's great when everything goes together perfectly







DISCOVER MORE... at www.wisniowski.eu

The products shown in the photographic material often feature special accessories and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIOWSKI Sp. z o.o. S.K.A. • 01/21/EN

