

A photograph of three wooden doors with dark frames in a garden at night. The doors are made of light-colored wood and have dark handles and keyholes. They are set in a garden with green grass, white daisies, and various plants. String lights are hanging above the doors, and the background is filled with trees and foliage.

VOSTER[®]



VOSTER ATS TEAM

IS A PROFESSIONAL CYCLING GROUP
RACING WITH THE UCI CONTINENTAL TEAM LICENCE





Professional Cycling Team

Voster ATS Team is a professional road cycling team racing with a UCI Continental Team license. The team has eleven riders. Among them are: the current Polish road cycling champion - Maciej Paterski and also Patryk Stosz - the winner of seven cycling races in the 2021 season. The riders compete in road races all over Europe and they proudly represent Voster company at every turn.

VOSTER®

www.vosteratsteam.pl



- 86
- 64
- 53
- 32
- 21
- 10

↑
2
↓

22

SELVA LACO
interior staircase doors
page 166

TABLE OF CONTENTS

INTERIOR DOOR WINGS

FRAMED DOOR WINGS

NON-REBATED FRAMED DOOR WINGS

■ LOFT	14-15
■ VANILLA NEW	16-17
■ ETNA NEW	18-19
■ MEDIOLAN	20-21
■ MOBI	22-23
■ BERGAMO	24-25
■ GRAFO	26-27
■ RUMBA	28-29

COOLORS COLLECTION

■ RUMBA	32-33
---------	-------

REBATED FRAMED DOOR WINGS

■ RUMBA	34-35
■ DUO	36-37
■ DELLA NEW	40-41
■ VINCI	42-43
■ BELLO	44-45
■ MOBI	46-47
■ KUBUS, LUPUS	48-49
■ INCANTO	50-51
■ PRADO	52-53
■ MURANO	54-55
■ NEUTRA	56-57
■ MEDIOLAN	58-59
■ BORNOS	60-61
■ BERGAMO	62-63
■ MARS	64-65
■ VICAR	66-67
■ TIGA	68-69
■ TANGO	70-71
■ LUGO	72-73
■ TOLEDO	74-75
■ LATINO	76-77
■ BRANDY	78-79
■ ROCCO	80-81
■ ZITRON	82-83
■ VANILLA	84-85
■ ETNA	86-87
■ ANTARES	88-89
■ PRIX	90-91

PLATINIUM COLLECTION

■ MODEL Q	94-95
■ MODEL X	96-97
■ MODEL Y	98-99
■ MODEL V	100-101

GLASS DOOR WINGS

■ MONO	104-105
■ WINDOOR II, WINDOOR IV, WINDOOR SPAGHETTI	106-107
■ PLATO	108-109

PLAIN DOOR WINGS

■ INFORMATION	110-111
■ PLAIN DOOR WINGS	112-113

■ REVERSE	114-115
■ NON-REBATED TO SARA PRO SYSTEM	116-117
■ DOOR FRAME, SARA PRO HIDDEN SYSTEM	118-119
■ MODERNO NON-REBATED	122-123
■ MAGNETIC NON-REBATED	124-125
■ PLAIN PANEL REBATED DOOR WINGS	126-127
■ MODERNO REBATED NEW	128-129
■ INTARSIA NEW	130-131
■ BULAJ NEW	132-133

VARNISHED DOOR WINGS

■ PLAIN, TORINO NEW	136-137
■ KORA, METRIX, SOFIA, MILANO, ALBA	139

SLIDING SYSTEMS

■ SINGLE FRAMELESS CASSETTE	140-141
■ SINGLE ALUMINIUM SLIDING SYSTEM G/K	142
■ DOOR FRAMES TO SINGLE ALUMINIUM SLIDING SYSTEM G/K	143
■ DOUBLE ALUMINIUM SLIDING SYSTEM G/K	144
■ DOOR FRAMES TO DOUBLE ALUMINIUM SLIDING SYSTEM G/K	145
■ SINGLE ON-WALL SLIDING SYSTEM	146-147
■ DOUBLE ON-WALL SLIDING SYSTEM	148-149
■ LOFT GLASS SYSTEM	150-151
■ LOFT LINE SYSTEM	152-153
■ ALUMINIUM ON-WALL SLIDING SYSTEM	154-155
■ MAGPLUS SLIDING SYSTEM	156-157

INTERIOR ENTRANCE DOORS

■ SOLLER NEW	158-161
■ SELVA NEW	162-165
■ SELVA LACO NEW	166-167
■ DOOR FRAMES FOR: SOLLER, SELVA NEW	168-169
■ FIRE RESISTANT, INTER EI30, EI60 NEW	170-173

DOOR FRAMES

■ NON-REBATED ADJUSTABLE DOOR FRAME V-RETTO	174
■ NON-REBATED FIXED DOOR FRAME	175
■ REVERSE DOOR FRAME NEW	176-177
■ REBATED ADJUSTABLE DOOR FRAME V-RETTO STANDARD	178-179
■ ADJUSTABLE DOOR FRAME STANDARD	180-181
■ CASING FRAME	182
■ FIXED DOOR FRAME	183
■ TOP LIGHT TO ADJUSTABLE V-RETTO DOOR FRAME	184
■ TOP LIGHT TO ADJUSTABLE STANDARD DOOR FRAME	185

ACCESSORIES

■ OPENWORK, MASKING BAND 100 ADJ., PROTECTIVE PANEL, FLOOR MOULDING TRIMS, DECORATIVE LAMELLAS, DOOR HANDLES, HINGE CASINGS, VENTILATION SLEEVES, CYLINDERS, DOOR CLOSER, SLIDING SYSTEM SYNCH, SEALS, MASKING BANDS, QUARTER ROUNDS, ELECTRIC STRIKE	186-196
--	---------

■ TECHNICAL INFORMATION	197-209
-------------------------	---------


TYPES OS VENEER

PLATINIUM



Platinum: Foil of polypropylene finishing. Resistant to stains, scratches and abrasion. Easy to clean, resistant to chemical exposure, flexible. Exceptional printing quality, unique match of embossing and printing, render of natural wooden structures.

white matt



bianco



arctic oak



latte oak




Bawaria oak



copper



carbon oak*




black matt




* decors available while stocks last

CPL



CPL: high resistance to: abrasion, scratches, sunlight.
Wooden structure.

polar oak CPL




ash CPL



sand oak CPL




oak CPL



TYPES OS VENEER

3D




3D Veneer: three-dimension effect. Unique imitation of wooden structure and form. Resistance to abrasion.

Canadian oak **NEW**




paris **NEW**



Norwegian oak



Swedish oak




Montana oak



acacia morava




white walnut



sonoma oak



Oregon oak



oil oak



Italian walnut



silver oak FOL




pine




antique oak*




anthracite



muscato walnut*




old oak*



* decors available while stocks last

FF



Finish foil: resistant to abrasion.

COOLORS COLLECTION

white



Bahama



graphite matt



Havana



dark deep blue



Panama



ADVANTAGES - NON REBATED FRAMED DOOR WINGS

high endurance to
mechanical impact

solid construction two
hidden 3D hinges,
regulated in three planes,
third hinge - extra charged



internal section


solid, massive framed
construction



rigid, stable
construction



door wing aligned with
the door frame creates
integrated, aesthetic
surface



tempered glass

magnetic lock – silent
closing



no glazing beads



wooden dowels and stabilising feather



ADVANTAGES - REBATED FRAMED DOOR WINGS

high endurance to
mechanical impact

soft rebate, innovative way
of veneering rails: rimless

solid construction
– 3 pintle hinges

tempered glass

no glazing beads

profile – brushed
aluminium

internal section


solid, massive framed
construction

wooden dowels and stabilising feather

rigid, stable
construction



NON-REBATED FRAMED DOOR WINGS



CONSTRUCTION

- **NON-REBATED** FRAMED DOOR WINGS
- MDF RAILS


FINISHING

- VENEERED DOOR WING

- - FF FINISH FOIL, ● - 3D VENEER, ● - CPL LAMINATE,
- - PP PLATINIUM

HARDWARE

- TWO 3D HIDDEN HINGES
- MAGNETIC LOCK FOR KEY, CYLINDER OR BATHROOM LOCK



AVAILABLE WIDTHS

- 60, 70, 80, 90

TECHNICAL INFORMATION PAGE 197-203



ADDITIONAL CHARGES

- **VENTILATION CUT**
- **VENTILATION PVC SLEEVES** (excluding COLOURS COLLECTION)
- **BRASS VENTILATION SLEEVES**
- **DOOR WING 100**
- **AUTOMATIC THRESHOLD**
- **THIRD HINGE** (extra charge included in the door frame price)
- **BLACK HINGE CASINGS** (to door wing and adjustable door frame)
- **BLACK LOCK** (to door wing and adjustable door frame)
- **DOUBLE DOOR WINGS**
- **DARK GREY GLASS** Available for model: MOBI, VANILLA, ETNA



VSG GLASS - GLASS SMOOTH
ON BOTH SIDES



**DOOR WING AVAILABLE
IN CZECH NORM**

REBATED FRAMED DOOR WINGS



CONSTRUCTION


- REBATED FRAMED DOOR WINGS
- MDF RAILS
- WIDTH OF VERTICAL RAILS 14 CM

FINISHING

- VENEERED DOOR WING
- - FF FINISH FOIL, ● - 3D VENEER, ● - CPL LAMINATE,
- - PP PLATINIUM

HARDWARE

- THREE PINTLE HINGES
- LOCK FOR KEY, CYLINDER OR BATHROOM LOCK



AVAILABLE WIDTHS

- 60, 70, 80, 90

TECHNICAL INFORMATION PAGE 197-203



ADDITIONAL CHARGES

- VENTILATION CUT
- VENTILATION PVC SLEEVES
- BRASS VENTILATION SLEEVES
- DOOR WING 100
- AUTOMATIC THRESHOLD
- BLACK HINGE CASINGS to door wing and adjustable door frame
(not applicable to Czech norm and models: Q, X, Y, V)
- DOUBLE DOOR WINGS
- DARK GREY GLASS Available for model: MOBI, VINCI, VANILLA, MODEL Q, ETNA, MODEL X



VSG GLASS - GLASS SMOOTH
ON BOTH SIDES



DOOR WING AVAILABLE
IN CZECH NORM

LOFT



NON-REBATED FRAMED
DOOR WINGS



PRESENTED DECOR: WHITE MATT

AVAILABLE DECORS:



black matt



white matt




Bawaria oak

(decor available
for model
LOFT 20, 30,
60, 70)


FINISHING - VENEERED DOOR WING:

● - PP PLATINIUM

GLAZING:



LOFT 10 NON-REBATED
TRANSPARENT GRAPHITE
GLASS




LOFT 20 NON-REBATED
TRANSPARENT GLASS WITH
PAINTED APPLICATION



LOFT 30 NON-REBATED
TRANSPARENT GLASS WITH
PAINTED APPLICATION



LOFT 40 NON-REBATED
PAINTED GLASS WHITE



LOFT 50 NON-REBATED
PAINTED GLASS BLACK



LOFT 60 NON-REBATED
PAINTED GLASS WHITE



LOFT 70 NON-REBATED
PAINTED GLASS BLACK



LOFT 90 NON-REBATED
TRANSPARENT GLASS

LOFT 10, 40, 50 HAVE MDF PROFILES (TO DOOR WING
COLOUR) FIXED

LOFT 20, 30 HAVE GLASS PAINTED APPLICATION


IT IS POSSIBLE TO
MAKE A DOOR
WING FOR THE
LOFT LINE SLIDING
SYSTEM, TECHNICAL
INFORMATION
PAGE 152-153. LOFT
DOES NOT FEATURE
DOUBLE DOORS



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



GLUED VSG SAFE GLASS SMOOTH
ON BOTH SIDES LOFT 40, 50, 60, 70



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 12



LOFT 20, 30 are
not available
in Czech norm.



TECH. INFO.
PAGE 197-203

VANILLA **NEW**



NON-REBATED
FRAMED DOOR WINGS



PRESENTED DECOR: BAWARIA OAK

AVAILABLE DECORS:



Italian walnut



polar oak CPL



oak CPL



white matt



bianco




arctic oak



latte oak



Bawaria oak



carbon oak*

FINISHING - VENEERED DOOR WING:

● - 3D VENEER, ● - CPL LAMINATE
● - PP PLATINIUM

* decors available while stocks last

GLAZING:



VANILLA 10
NON-REBATED



VANILLA 20
NON-REBATED



VANILLA 30
NON-REBATED



VANILLA 40
NON-REBATED



VANILLA 50
NON-REBATED



VANILLA 60
NON-REBATED



VANILLA 70
NON-REBATED




VANILLA 80
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



TEMPERED
GLASS
4 mm



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: LATTE OAK

AVAILABLE DECORS:



Italian walnut



polar oak CPL



oak CPL



white matt



bianco



arctic oak



latte oak



Bawaria oak



carbon oak*

FINISHING - VENEERED DOOR WING:

● - 3D VENEER, ● - CPL LAMINATE,
● - PP PLATINIUM

* decors available while stocks last

GLAZING:



ETNA 10
NON-REBATED



ETNA 20
NON-REBATED



ETNA 30
NON-REBATED



ETNA 40
NON-REBATED



ETNA 50
NON-REBATED



ETNA 60
NON-REBATED




ETNA 70
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



TEMPERED
GLASS
4 mm



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203

MEDIOLAN



NON-REBATED
FRAMED DOOR WINGS



PRESENTED DECOR: BLACK MATT

AVAILABLE DECORS:



white matt




black matt


FINISHING - VENEERED DOOR WING:

● - PP PLATINIUM


GLAZING:



MEDIOLAN 10
NON-REBATED




MEDIOLAN 20
NON-REBATED



MEDIOLAN 30
NON-REBATED

PANEL


– DOOR FRAMES AVAILABLE IN COLOUR
BLACK MATT



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: WHITE MATT

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:


- - FINISH FOIL, ● - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

* decors available while stocks last

GLAZING:



MOBI 10
NON-REBATED



MOBI 20
NON-REBATED



MOBI 30
NON-REBATED



MOBI 40
NON-REBATED




MOBI 50
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203

BERGAMO



NON-REBATED
FRAMED DOOR WINGS



PRESENTED DECOR: SAND OAK CPL

AVAILABLE DECORS:



graphite matt



Italian walnut



sand oak CPL



oak CPL



white matt



bianco



arctic oak



latte oak



Bawaria oak



carbon oak*

FINISHING - VENEERED DOOR WING:

- - FINISH FOIL, ● - 3D VENEER
- - CPL LAMINATE,
- - PP PLATINIUM

* decors available while stocks last

GLAZING:



BERGAMO 10
NON-REBATED



BERGAMO 20
NON-REBATED



BERGAMO 30
NON-REBATED



BERGAMO 40
NON-REBATED



BERGAMO 50
NON-REBATED



BERGAMO 60
NON-REBATED




BERGAMO 70
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: CARBON OAK

AVAILABLE DECORS:



graphite matt



Italian walnut



sand oak CPL



white matt



arctic oak



latte oak



Bawaria oak



carbon oak*

FINISHING - VENEERED DOOR WING:

- - FINISH FOIL, ● - 3D VENEER
- - CPL LAMINATE,
- - PP PLATINIUM

* decors available while stocks last




GRAFO
NON-REBATED



GRAFO
NON-REBATED




GRAFO
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203

RUMBA



NON-REBATED FRAMED
DOOR WINGS



PRESENTED DECOR: BLACK MATT

AVAILABLE DECORS:



paris



white matt




black matt

FINISHING - VENEERED DOOR WING:


● - PP PLATINIUM, ● - 3D VENEER




RUMBA
NON-REBATED



RUMBA
NON-REBATED




RUMBA
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203

Colours Collection



Coolors Collection:

Havana
Bahama
Panama



RUMBA



NON-REBATED FRAMED
DOOR WINGS



PRESENTED DECOR: PANAMA

AVAILABLE DECORS:



Havana



Bahama




Panama

FINISHING - VENEERED DOOR WING:


● - FINISH FOIL




RUMBA
NON-REBATED



RUMBA
NON-REBATED



RUMBA
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



ADDITIONAL
CHARGES
PAGE 12



TECH. INFO.
PAGE 197-203

RUMBA



REBATED FRAMED
DOOR WING



PRESENTED DECOR: PARIS; BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:



paris



white matt




black matt


FINISHING - VENEERED DOOR WING:
● - PP PLATINIUM, ● - 3D VENEER



RUMBA
REBATED



RUMBA
REBATED



RUMBA
REBATED



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

DUO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: BLACK MATT / SAND OAK CPL - BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:



Italian walnut



sand oak CPL



white matt



arctic oak



latte oak



copper



carbon oak*



black matt

FINISHING - VENEERED DOOR WING:

- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

* decors available while stocks last



DUO 10



DUO 20




DUO 20



DUO 20

- DOOR FRAME AVAILABLE
IN COLOUR BLACK MATT
- DUO 10 VERTICAL RAILS
ONLY IN BLACK MATT



AVAILABLE
WIDTHS




ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

Canadian oak








PRESENTED DECOR: CANADIAN OAK

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM


GLAZING:



DELLA 10



DELLA 20



DELLA 30



DELLA 40



DELLA 50



DELLA 60



DELLA 70



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: WHITE MATT; BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED DOOR WING:
 - FINISH FOIL, - 3D VENEER
 - CPL LAMINATE
 - PP PLATINIUM

GLAZING:



VINCI 10



VINCI 20



VINCI 30



VINCI 40



VINCI 50



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH



TEMPERED
GLASS
4 mm



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

BELLO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: CARBON OAK; BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

* decors available while stocks last

GLAZING:



BELLO 10



BELLO 20



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



TEMPERED GLASS 4 MM,
WIDTH 145 MM (fixed
dimension for all door wing
widths)



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: GRAPHITE MATT

AVAILABLE DECORS:



FINISHING – VENEERED DOOR WING:

- – FINISH FOIL, ● – 3D VENEER
- – CPL LAMINATE
- – PP PLATINIUM

* decors available while stocks last

GLAZING:



MOBI 10



MOBI 20




MOBI 30



MOBI 40



MOBI 50



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: WHITE FF

AVAILABLE DECORS:

								
white	graphite matt	Norwegian oak	Swedish oak	Montana oak	acacia morava	sonoma oak	Oregon oak	Italian walnut
								
oil oak	anthracite	muscato walnut*	old oak*	polar oak CPL	ash CPL	sand oak CPL	oak CPL	
								
white matt	arctic oak	latte oak	Bawaria oak	carbon oak*				

* decors available while stocks last

FINISHING - VENEERED DOOR WING:
● - FINISH FOIL, ● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM

GLAZING:



KUBUS




KUBUS „70”



KUBUS „80”



KUBUS „90”



LUPUS
GLASS WITHOUT APPLICATION

THE PROPORTION OF THE APPLICATION IN THE 70 WIDE WING DIFFER SLIGHTLY FROM THE APPLICATION IN THE 80 AND 90 WINGS.



AVAILABLE
WIDTHS



TEMPERED GLASS WITH APPLICATION
THICKNESS 4 MM



ADDITIONAL
CHARGES
PAGE 13



DOOR WING
LUPUS



TECH. INFO.
PAGE 197-203

INCANTO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: WHITE FF

AVAILABLE DECORS:



white



Montana oak

FINISHING – VENEERED DOOR WING:
● – FINISH FOIL, ● – 3D VENEER

GLAZING:



INCANTO 10



INCANTO 20



INCANTO 30



INCANTO 40



INCANTO 50



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: MONTANA OAK

AVAILABLE DECORS:



white




Montana oak


FINISHING - VENEERED DOOR WING:

● - FINISH FOIL, ● - 3D VENEER

GLAZING:



PRADO 10



PRADO 20



PRADO 30



PRADO 40



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

MURANO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: MUSCATO WALNUT

AVAILABLE DECORS:



white



Swedish oak



Montana oak



sonoma oak



acacia morava



Oregon oak



Italian walnut



oil oak



muscato walnut*



polar oak CPL



sand oak CPL



Bawaria oak

FINISHING
- VENEERED
DOOR WING:
● - FINISH FOIL
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM

* decors available while stocks last

GLAZING:



MURANO 10



MURANO 20



MURANO 30



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

NEUTRA



REBATED FRAMED
DOOR WING



PRESENTED DECOR: OAK CPL

AVAILABLE DECORS:



Italian walnut



anthracite



old oak*



sand oak CPL



oak CPL

FINISHING – VENEERED DOOR WING:

- – 3D VENEER
- – CPL LAMINATE

* decors available while stocks last

GLAZING:



NEUTRA 10



NEUTRA 20



NEUTRA 30



NEUTRA 40



NEUTRA 50



PROFILE - BRUSHED
ALUMINIUM



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

MEDIOLAN



REBATED FRAMED
DOOR WING



PRESENTED DECOR: OIL OAK

AVAILABLE DECORS:



Swedish oak



Montana oak



acacia morava



Italian walnut



oil oak



sand oak CPL



white matt




black matt


FINISHING - VENEERED DOOR WING:

- 3D VENEER
- CPL LAMINATE
- PP PLATINIUM


GLAZING:



MEDIOLAN 10



MEDIOLAN 20



MEDIOLAN 30

- DOOR FRAME AVAILABLE IN COLOURS:
BLACK CPL AND BLACK MATT



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



MEDIOLAN 10:
GRAPHITE MATT
MEDIOLAN 20:
TEMPERED GLASS



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

BORNOS



REBATED FRAMED
DOOR WING



PRESENTED DECOR: SWEDISH OAK

AVAILABLE DECORS:



white



Swedish oak



sonoma oak



oil oak



Italian walnut



old oak*

FINISHING – VENEERED DOOR WING:

● – FINISH FOIL, ● – 3D VENEER

* decors available while stocks last

GLAZING:



BORNOS 10



BORNOS 20



BORNOS 30



BORNOS 40



BORNOS 50




BORNOS 60



BORNOS 70



BORNOS 80



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: BAWARIA OAK

AVAILABLE DECORS:



FINISHING
- VENEERED
DOOR WING:
● - FINISH FOIL
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM

* decors available while stocks last

GLAZING:



BERGAMO 10



BERGAMO 20



BERGAMO 30



BERGAMO 40




BERGAMO 50



BERGAMO 60



BERGAMO 70



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES:



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203




PRESENTED DECOR: MONTANA OAK

AVAILABLE DECORS:



white



Swedish oak



acacia morava



sonoma oak



Montana oak



Oregon oak



Italian walnut



oil oak



polar oak CPL



sand oak CPL



Bawaria oak

FINISHING - VENEERED

DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

GLAZING:



MARS 10




MARS 20



MARS 30



MARS 40



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: OAK CPL

AVAILABLE DECORS:



* decors available while stocks last

FINISHING
- VENEERED
DOOR WING:
● - FINISH FOIL
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM


GLAZING:



VICAR 10



VICAR 20




VICAR 30



VICAR 40



VICAR 50



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: ANTHRACITE

AVAILABLE DECORS:



FINISHING – VENEERED DOOR WING:

- – 3D VENEER,
- – CPL CPL LAMINATE

* decors available while stocks last

GLAZING:



TIGA 10



TIGA 20




TIGA 30



TIGA 40



PROFILE
- BRUSHED
ALUMINIUM



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

TANGO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: BIANCO

AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED DOOR WING:

- - 3D VENEER
- - CPL LAMINATE,
- - PP PLATINIUM


GLAZING:



TANGO 10




TANGO 20



TANGO 30



TANGO 40



AVAILABLE
WIDTHS



TEMPERED GLASS WITH APPLICATION
(THE APPLICATION OF THE GLAZING IN THE
LEFT WING IS NOT A MIRROR IMAGE IN THE
RIGHT WING)



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

LUGO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: SAND OAK CPL; BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:

Swedish oak

Norwegian oak

Montana oak

acacia morava

sonoma oak

Italian walnut

oil oak

old oak*

polar oak CPL

ash CPL

sand oak CPL

oak CPL

bianco

arctic oak

Bawaria oak

* decors available while stocks last

FINISHING – VENEERED
DOOR WING:
 – 3D VENEER
 – CPL LAMINATE,
 – PP PLATINIUM

GLAZING:



LUGO 10




LUGO 20



LUGO 30



LUGO 40



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

TOLEDO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: MUSCATO WALNUT. BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:

white

Swedish oak

Montana oak

acacia morava

Italian walnut

oil oak

anthracite

muscato walnut*

polar oak CPL

ash CPL

sand oak CPL

oak CPL

FINISHING – VENEERED
DOOR WING:
 ● – FINISH FOIL
 ● – 3D VENEER
 ● – CPL LAMINATE

* decors available while stocks last

GLAZING:



TOLEDO 10




TOLEDO 20




TOLEDO 30



TOLEDO 40



TOLEDO 50



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: WHITE FF

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

* decors available while stocks last

GLAZING:



LATINO 10



LATINO 20



LATINO 30



LATINO 40




LATINO 50



LATINO 60



LATINO 70



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

BRANDY



REBATED FRAMED
DOOR WING



PRESENTED DECOR: OLD OAK

AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED
DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

GLAZING:



BRANDY 10



BRANDY 20



BRANDY 30



BRANDY 40



BRANDY 50




BRANDY 60



BRANDY 70



BRANDY 80



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

ROCCO



REBATED FRAMED
DOOR WING



PRESENTED DECOR: WHITE FF

AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED
DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

GLAZING:



ROCCO 10



ROCCO 20




ROCCO 30



ROCCO 40



ROCCO 50



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 13



TEMPERED
GLASS
4 mm



TECH. INFO.
PAGE 197-203

ZITRON



REBATED FRAMED
DOOR WING



PRESENTED DECOR: NORWEGIAN OAK

AVAILABLE DECORS:




* decors available while stocks last

FINISHING - VENEERED DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

GLAZING:



ZITRON 10



ZITRON 20



ZITRON 30



ZITRON 40



ZITRON 50




ZITRON 60



ZITRON 70



ZITRON 80



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

VANILLA



REBATED FRAMED
DOOR WING



PRESENTED DECOR: ITALIAN WALNUT; BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED
DOOR WING:
● - FINISH FOIL
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM

GLAZING:



VANILLA 10



VANILLA 20



VANILLA 30



VANILLA 40



VANILLA 50




VANILLA 60



VANILLA 70



VANILLA 80



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



DARK GREY
GLASS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: OIL OAK

AVAILABLE DECORS:

 Canadian oak	 Norwegian oak	 Swedish oak	 Montana oak	 acacia morava	 white walnut	 sonoma oak	 Oregon oak
 Italian walnut	 oil oak	 anthracite	 muscato walnut*	 old oak*	 polar oak CPL	 ash CPL	 oak CPL
 white matt	 bianco	 latte oak	 Bawaria oak	 carbon oak*			

* decors available while stocks last

FINISHING - VENEERED
DOOR WING:
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM

GLAZING:



ETNA 10



ETNA 20



ETNA 30



ETNA 40




ETNA 50



ETNA 60



ETNA 70



AVAILABLE
WIDTHS



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



DARK GREY
GLASS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

ANTARES



REBATED FRAMED
DOOR WING



PRESENTED DECOR: ACACIA MORAVA

AVAILABLE DECORS:



Swedish oak



acacia morava



oil oak



Italian walnut



muscato walnut*



ash CPL



oak CPL

FINISHING - VENEERED DOOR WING:

- - 3D VENEER
- - CPL LAMINATE

* decors available while stocks last

GLAZING:



ANTARES 10



ANTARES 20



ANTARES 30



ANTARES 40



ANTARES 50



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203



PRESENTED DECOR: OLD OAK

AVAILABLE DECORS:



FINISHING - VENEERED
DOOR WING:

- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINUM

* decors available while stocks last

GLAZING:



PRIX 10



PRIX 30



PRIX 50



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH
ON BOTH SIDES



ADDITIONAL
CHARGES
PAGE 13



TECH. INFO.
PAGE 197-203

PLATINIUM COLLECTION



internal section

THREE ADJUSTABLE 2-PINTLE HINGES The door wing is suspended on three hinges, each adjustable in two directions: the wing plane and the wing pressure to the door frame.



rigid, stable construction




VERTICAL RAILS OF CONIFEROUS WOOD



high endurance to mechanical impact

upper rail



tempered glass

stabilising feather

no glazing beads



soft rebate



bottom rail



wooden dowels



solid – massive FRAMED construction





CONSTRUCTION

- FRAMED DOOR WINGS
- MDF RAILS
- WIDTH OF VERTICAL RAILS 14 CM
- VERTICAL RAILS OF CONIFEROUS WOOD (TECH. INFO. page 200)

FINISHING

- VENEERED DOOR WING: ● - PP PLATINIUM

HARDWARE

- THREE ADJUSTABLE 2-PINTLE HINGES (BLACK HINGES - NOT AVAILABLE)
- LOCK FOR KEY, CYLINDER OR BATHROOM LOCK




GLAZING:

- TEMPERED GLASS 4 mm



DARK GREY GLASS

AVAILABLE FOR MODEL: X, Q



AVAILABLE WIDTHS

- 60, 70, 80, 90



ADDITIONAL CHARGES


TECHNICAL INFORMATION page 197-203

- VENTILATION CUT
- VENTILATION PVC SLEEVES
- BRASS VENTILATION SLEEVES
- BLACK HINGE CASINGS
- DOOR WING 100
- AUTOMATIC THRESHOLD
- DOOR WING AVAILABLE IN CZECH NORM



PP PLATINIUM


white matt




bianco



latte oak




arctic oak



Bawaria oak



carbon oak*



* decors available while stocks last

MODEL Q PLATINIUM



REBATED FRAMED
DOOR WING




PRESENTED DECOR: WHITE MATT

AVAILABLE DECORS:



white matt



bianco



arctic oak



latte oak



Bawaria oak



carbon oak*

FINISHING - VENEERED DOOR WING:


● - PP PLATINIUM

* decors available while stocks last

GLAZING:



MODEL Q 10



MODEL Q 20



MODEL Q 30




MODEL Q 40



MODEL Q 50



MODEL Q 60



MODEL Q 70



MODEL Q 80



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 93



TECH. INFO.
PAGE 197-203

MODEL X PLATINIUM



REBATED FRAMED
DOOR WING



PRESENTED DECOR: ARCTIC OAK

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

● - PP PLATINIUM

* decors available while stocks last

GLAZING:



MODEL X 10



MODEL X 20



MODEL X 30



MODEL X 40



MODEL X 50



MODEL X 60



MODEL X 70



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



DARK GREY
GLASS



ADDITIONAL
CHARGES
PAGE 93



TECH. INFO.
PAGE 197-203

MODEL Y PLATINIUM



REBATED FRAMED
DOOR WING



PRESENTED DECOR: LATTE OAK

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

● - PP PLATINIUM

* decors available while stocks last

GLAZING:



MODEL Y 10



MODEL Y 20



MODEL Y 30



MODEL Y 40



MODEL Y 50



MODEL Y 60



MODEL Y 70



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES



ADDITIONAL
CHARGES
PAGE 93



TECH. INFO.
PAGE 197-203

MODEL V PLATINIUM



REBATED FRAMED
DOOR WING



PRESENTED DECOR: ARCTIC OAK

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

● - PP PLATINIUM

* decors available while stocks last

GLAZING:



MODEL V 10



MODEL V 20




MODEL V 30



MODEL V 40



MODEL V 50



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



GLUED VSG SAFE
GLASS SMOOTH ON BOTH SIDES




ADDITIONAL
CHARGES
PAGE 93




TECH. INFO.
PAGE 197-203

Arctic



Pure aesthetic



oak



MONO

GLASS
DOOR WING



REBATED FRAMED
DOOR WING



PRESENTED DECOR: ACACIA MORAVA

AVAILABLE DECORS:



white



Swedish oak



Montana oak



acacia morava



Italian walnut



oil oak



muscato walnut*



old oak*



polar oak CPL



ash CPL



oak CPL

FINISHING - VENEERED
DOOR WING:

- - FINISH FOIL
- - 3D VENEER,
- - CPL LAMINATE

* decors available while stocks last

GLAZING:



MONO 10



AVAILABLE
WIDTHS



TEMPERED
GLASS
8 mm



TECH. INFO.
PAGE 197-203

WINDOOR

GLASS
DOOR WING



REBATED FRAMED
DOOR WING



PRESENTED DECOR: MUSCATO WALNUT+SPAGHETTI GLASS

AVAILABLE DECORS:




* decors available while stocks last

FINISHING – VENEERED
DOOR WING:
● – FINISH FOIL
● – 3D VENEER
● – CPL LAMINATE
● – PP PLATINIUM

GLAZING:



WINDOOR II



WINDOOR IV



WINDOOR SPAGHETTI



AVAILABLE
WIDTHS



- WINDOOR IV, SPAGHETTI - SATIN GLASS, TEMPERED GLASS, THICKNESS 8 MM, POLISHED EDGES
- WINDOOR II - TEMPERED GLASS, THICKNESS 8 MM, POLISHED EDGES
- WINDOOR SPAGHETTI - TEMPERED GLASS (THE APPLICATION OF THE GLAZING IN THE LEFT WING IS NOT A MIRROR IMAGE IN THE RIGHT WING)



TECH. INFO.
PAGE 197-203



FEATURES
WINDOOR II



HARDWARE:



RECTANGULAR VERSION



SOFT VERSION



ADDITIONAL CHARGES:

- PLATO DEDICATED ADJUSTABLE FRAME
PAGE 180
- VENTILATION CUT
- HARDWARE STAINLESS STEEL SET:
- 2 HINGES + LOCK (KEY)
- 2 HINGES + LOCK (CYLINDER OR ECONOMY)
- 2 HINGES + BATHROOM LOCK


GLAZING:




PLATO
TRANSPARENT



PLATO WHITE


PLATO TRANSPARENT
GRAPHITE

TEMPERED GLASS,
8 MM,
POLISHED EDGES

AVAILABLE
WIDTHS

TECH. INFO.
PAGE 197-203

NON-REBATED PLAIN DOOR WINGS



CONSTRUCTION


- **NON-REBATED** FRAMED DOOR WINGS
- MDF RAIL COVERED WITH TWO HDF BOARDS
- STABILISING CORE FILLING 'HONEYCOMB' OR ADDITIONALLY CHARGED 'SOLID BOARD'

FINISHING

- VENEERED HDF BOARDS
 - - FF FINISH FOIL, ● - 3D VENEER, ● - CPL LAMINATE,
 - - PP PLATINIUM
- ABS RIM Door wings in decors: brass, dark deep blue are wrapped with black ABS rim. The rim does not feature any structure. Slight colour difference may occur between the rim and door wing surface.

HARDWARE

- TWO 3D HIDDEN HINGES
- MAGNETIC LOCK FOR KEY, CYLINDER OR BATHROOM LOCK



AVAILABLE WIDTHS

- 60, 70, 80, 90

TECHNICAL INFORMATION PAGE 197-209




ADDITIONAL CHARGES

- VENTILATION CUT
- VENTILATION PVC SLEEVES
- BRASS VENTILATION SLEEVES
- DOOR WING 100 + extra charge for third hinge
- THIRD HINGE
- BLACK HINGE CASINGS (to door wing and adjustable frame)
- BLACK LOCK (to door wing and adjustable frame)
- AUTOMATIC THRESHOLD (to strengthened door wings)
- ENHANCEMENT - SOLID BOARD
- STEEL VENTILATION GRILL
- DOUBLE DOOR WINGS
- STRENGTHENING TO SELF LOCK
- DOOR WING AVAILABLE IN CZECH NORM



REBATED PLAIN DOOR WINGS



CONSTRUCTION


- **REBATED** FRAMED DOOR WINGS
- MDF RAIL COVERED WITH TWO HDF BOARDS
- STABILISING CORE FILLING 'HONEYCOMB' OR ADDITIONALLY CHARGED 'SOLID BOARD'

FINISHING

- VENEERED HDF BOARDS
- - FF FINISH FOIL, ● - 3D VENEER, ● - CPL LAMINATE, ● - PP PLATINIUM,
- - HDF LAK

HARDWARE

- TWO PINTLE HINGES
- LOCK FOR KEY, CYLINDER OR BATHROOM LOCK



AVAILABLE WIDTHS

- 60, 70, 80, 90

TECHNICAL INFORMATION PAGE 197-209



ADDITIONAL CHARGES

- VENTILATION CUT
- VENTILATION PVC SLEEVES
- BRASS VENTILATION SLEEVES
- DOOR WING 100
- AUTOMATIC THRESHOLD (to strengthened door wings)
- BLACK HINGES (to door wing and adjustable frame)
- ENHANCEMENT - SOLID BOARD
- PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)
- PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)
- PROTECTIVE PANEL INOX CENTRE (TWO SIDES)
- STEEL VENTILATION GRILL
- DOUBLE DOOR WINGS
- STRENGTHENING TO SELF LOCK
- DOOR WING AVAILABLE IN CZECH NORM



FULL PLAIN



NON-REBATED FRAMED
PLAIN DOOR WING



PRESENTED DECOR: BLACK MATT


AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM




FULL PLAIN
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



ADDITIONAL
CHARGES
PAGE 110



TECH. INFO.
PAGE 197-209

REVERSE



NON-REBATED FRAMED
PLAIN DOOR WING

FULL PLAIN



PRESENTED DECOR: PARIS


AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED DOOR WING:


- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINUM



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



ADDITIONAL
CHARGES
PAGE 110



TECH. INFO.
PAGE 197-209

TO HIDDEN SYSTEM SARA PRO

FULL PLAIN



NON-REBATED FRAMED
PLAIN DOOR WING



PRESENTED DECOR: BLACK MATT


AVAILABLE DECORS:



* decors available while stocks last

FINISHING - VENEERED DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM



FULL PLAIN
NON-REBATED



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES




ADDITIONAL
CHARGES
PAGE 110



TECH. INFO.
PAGE 197-209

DOOR FRAME TO SYSTEM SARA PRO

DOOR FRAME



PRESENTED DECOR; BASE VENEER TO BE PAINTED OR TAPED

Sara Pro door frame is dedicated to full plain door wings.

The Sara Pro hidden door frame is a unique and durable solution for those looking for new trends in interior design. High-class aluminum, a rigid structure and an improved assembly system make this solution popular, gaining new followers.

Sara PRO is one module-profile, separate for the external and internal system. Sara Pro fits perfectly into minimalist rooms and fits in with the current trends.

Door wing:


- Non-rebated door wing
- 2 3D hidden hinges
- magnetic lock for key, cylinder or bathroom lock
- standard rim




3D hidden hinge



Magnetic lock
– silent closing




A door wing aligned
with wall creates
a uniform aesthetic
surface




SINGLE CONCEALED DOOR FRAME SARA PRO
INTERIOR, EXTERIOR TO WIDTH: 60 – 90, TWO
3D HINGES: ALUMINIUM, ANODE
OR PAINTED WHITE

SARA PRO EXTERIOR



SARA PRO INTERIOR



minimal wall thickness 60 mm

Dak Bavaria



Beauty of wood



MODERNO



NON-REBATED FRAMED
PLAIN DOOR WING



PRESENTED DECOR: BAWARIA OAK

AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

* decors available while stocks last


GLAZING:




MODERNO
NON-REBATED



LACOBEL GLASS
GLUED IN HDF
BOARD, in line with door
wing surface



Door wing enhanced
with solid board



AVAILABLE
WIDTHS



MAGNETIC
LOCK



HIDDEN
HINGES



LACOBEL
GLASS

DOOR WING
ENHANCED WITH
SOLID BOARD



ADDITIONAL
CHARGES
PAGE 110



TECH. INFO.
PAGE 197-209

MAGNETIC



NON-REBATED FRAMED
PLAIN DOOR WING



PRESENTED DECOR: LATTE OAK

AVAILABLE DECORS:



white matt



bianco



arctic oak



latte oak



Bawaria oak



copper



carbon oak*



black matt

FINISHING - VENEERED
DOOR WING:
● - PP PLATINIUM

* decors available while stocks last

A new version of non-rebated doors. Through the use of an innovative opening and closing system, we have obtained a minimalist and modern form of doors that do not have a traditional lock and handle.


The wing has a block of magnetic stainless steel in the frame and a system of strong magnets. The magnetic force causes the door to close silently and perfectly.

In order to fully close (lock) the door, a small lock with a toilet block or a cylinder lock should be used as an option at an additional cost.


The wing is enhanced with solid board.



magnet system – door wing, door frame




lock for cylinder



bathroom lock



Door wing Magnetic S



Door wing Magnetic L with long holder

FULL PLAIN



REBATED PLAIN
DOOR WING



PRESENTED DECOR: BAWARIA OAK + BAND 100 OR, BLACK HINGES - EXTRA CHARGED


AVAILABLE DECORS:




* decors available while stocks last

FINISHING - VENEERED
DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM



FULL PLAIN



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 111



TECH. INFO.
PAGE 197-209

MODERNO **NEW**

REBATED



REBATED PLAIN
DOOR WING



PRESENTED DECOR: BIANCO, BLACK HINGES - EXTRA CHARGED

AVAILABLE DECORS:



* decors available while stocks last


FINISHING - VENEERED DOOR WING:

- FINISH FOIL
- 3D VENEER
- CPL LAMINATE
- PP PLATINIUM

GLAZING:



MODERNO



LACOBEL GLASS
GLUED
IN HDF BOARD



Door wing enhanced with solid board

DOOR WING
ENHANCED
WITH SOLID
BOARD



AVAILABLE
WIDTHS



LACOBEL
GLASS



ADDITIONAL
CHARGES
PAGE 111



TECH. INFO.
PAGE 197-209

INTARSIA **NEW**

FULL PLAIN



REBATED PLAIN
DOOR WING




PRESENTED DECOR: PARIS, BLACK HINGES - EXTRA CHARGED


AVAILABLE DECORS:



FINISHING - VENEERED DOOR WING:
 ● - FINISH FOIL, ● - 3D VENEER
 ● - CPL LAMINATE, ● - PP PLATINIUM

Intarsia width 6 mm
Colours:





Intarsia 10



Intarsia 10



Intarsia 20




Intarsia 20



Intarsia 30




Intarsia 30



Intarsia 40



Board veneered
with black matt



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 111



TECH. INFO.
PAGE 197-209



PRESENTED DECOR: BLACK MATT

AVAILABLE DECORS:




* decors available while stocks last


FINISHING - VENEERED
DOOR WING:

- - FINISH FOIL
- - 3D VENEER
- - CPL LAMINATE
- - PP PLATINIUM

GLAZING:




BULAJ 10 INOX
white glass
BULAJ 20 INOX
transparent glass



BULAJ 30 BLACK
white glass
BULAJ 40 BLACK
transparent glass



BULAJ IS AVAILABLE WITH WHITE OR TRANSPARENT GLASS
COLOURS: INOX, BLACK





AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 111



TECH. INFO.
PAGE 197-209



Paris





Urban lifestyle

VARNISHED



REBATED PLAIN
DOOR WING



PRESENTED DECOR: WHITENED OAK

"The door designed as part of the project entitled Modified panel doors of the standard segment for today, tomorrow, the day after tomorrow and for many years under the Smart Growth Operational Program 2014-2020, Sub-measure 3.2.1 Research for the market. The structure of the product is a consequence of the implementation of the results of R&D works in the field of joinery production technology in the form of internal panel doors (standard segment) with significantly increased strength."



**European
Funds**
Smart Growth



**Republic
of Poland**

European Union
European Structural
and Investment Funds



FULL



white lak.



whitened oak
lak.




silver oak lak.



Scandinavian
oak lak.



TORINO ^{NEW}



TORINO 10



TORINO 20



TORINO 30



TORINO 40



TORINO 50



TORINO 60

CONSTRUCTION

- MDF RAIL COVERED WITH TWO HDF BOARDS
- STABILISING CORE FILLING 'HONEYCOMB'

FINISHING

- VARNISHED HDF BOARD
- DOOR WINGS MADE IN FELZKANT VERSION
- A COLOUR DIFFERENCE MAY OCCUR BETWEEN THE REBATE AND DOOR WING BOARD

HARDWARE

- TWO PINTLE HINGES
- LOCK FOR KEY, CYLINDER OR BATHROOM LOCK

GLAZING - TEMPERED GLASS

ADDITIONAL CHARGE:

- DOOR WING 100 (INFO. page 198)
- ENHANCEMENT - SOLID BOARD (INFO. page 201)
- VENTILATION PVC SLEEVES (the additional charge concerns door wings in room and plain versions).
- DOUBLE DOOR WINGS
- AUTOMATIC THRESHOLD

VARNISHED



REBATED PLAIN
DOOR WING



PRESENTED DECOR: WHITENED OAK

FULL



white lak.



whitened oak
lak.



silver oak lak.



Scandinavian
oak lak.



KORA



GLAZED 5/5

METRIX



GLAZED 2/3

ALBA



GLAZED 4/4

SOFIA



GLAZED 3/3

MILANO



GLAZED 4/4



GLAZED 2/5



GLAZED 1/3



GLAZED 2/4



GLAZED 1/3



GLAZED 2/4

CONSTRUCTION

- MDF RAIL COVERED WITH TWO HDF BOARDS
- STABILISING CORE FILLING 'HONEYCOMB'

FINISHING

- VARNISHED HDF BOARD
- DOOR WINGS MADE IN FELZKANT VERSION
- A COLOUR DIFFERENCE MAY OCCUR BETWEEN THE REBATE AND DOOR WING BOARD

HARDWARE

- TWO PINTLE HINGES
- LOCK FOR KEY, CYLINDER OR BATHROOM LOCK

GLAZING - SATIN GLASS: KORA, SOFIA, MILANO, ALBA, METRIX

ADDITIONAL CHARGE:

- DOOR WING 100 (INFO. page 198)
- ENHANCEMENT - SOLID BOARD (INFO. page 201)
- VENTILATION PVC SLEEVES (the additional charge concerns door wings in room and plain versions)
- DOUBLE DOOR WINGS
- AUTOMATIC THRESHOLD

SINGLE FRAMELESS CASSETTE



The frameless cassette is a sliding system of doors hidden in the wall without the use of a masking band for a gypsum board wall. The frames remain concealed.

The original form gives the arrangement a very modern, slightly austere character. This solution allows for a modern and simple arrangement of rooms.

Door wing:

- Non-rebated sliding door wing
- Installed PVC door holder of wing colour

Additionally charged options:

- Steel round holder
- Steel oval holder



Steel round holder
colour: silver, graphite



Steel oval holder
colour: silver, graphite




SINGLE FRAMELESS CASSETTE	
FRAMED DOOR WINGS	Prices according to the catalogue offer + additional charge page 14 – 101
FULL PANEL PLAIN DOOR WINGS	● Finish Foil, ● CPL, ● PP Platinum
FULL PLAIN VARNISHED DOOR WINGS	Available decors page 136 ● HDF

Non-rebated sliding door wings exclude ventilation cut. Instead ventilation sleeves can be applied.

Non-rebated varnished door wings with non-soft edge (slight colour difference may occur).


TABLE OF DIMENSIONS [mm]

Door wing width [Sd]	Door wing height [Hd]	Total system width [C]	Door cassette length [D]	Clear opening width after mounting the frame [E]	Clear opening width before mounting the frame [F]	Cassette depth after mounting the frame [G]	Height of light transition [H]	System total height [H1]
644	2030	1308	640	602	648	654	2018	2115
744		1508	740	702	748	754		
844		1708	840	802	848	854		
944		1908	940	902	948	954		
1044		2108	1040	1002	1048	1054		



ATTENTION: The door wing cannot be mounted and taken out without disrupting the wall.


SINGLE ALUMINIUM SLIDING SYSTEM G/K



The system for doors hidden in the wall, built-in with gypsum board in the configuration - single system. The system entirely made of aluminum allows to use any type of non-rebated sliding wing (does not feature glass doors).

When using a door wing with a hook lock, choose a frame for G/K (plasterboard) with a hook lock catch. The cassette and frame for G/K (plasterboard) with hook lock catch should be installed on the finished floor.

Cassette G/K – single aluminium sliding system



SINGLE CASSETTE G/K door wing

TABLE OF DIMENSIONS [mm]

Door wing width [Sd]	Door wing height [Hd]	Total system width [C]	Door cassette length [D]	Clear opening width after mounting the frame [E]	Clear opening width before mounting the frame [F]	Cassette depth after mounting the frame [G]	Height of light transition [H]	System total height [H1]
644	2030	1308	640	602	648	654	2018	2115
744		1508	740	702	748	754		
844		1708	840	802	848	854		
944		1908	940	902	948	954		
1044		2108	1040	1002	1048	1054		

DOOR FRAME FOR SINGLE ALUMINIUM SYSTEM G/K



AVAILABLE DECORS:

white

caspian walnut

graphite matt

dark deep blue

Norwegian oak

Swedish oak

Montana oak

acacia morava

silver oak FOL

white walnut

sonoma oak

Oregon oak

pine

Scandinavian oak

Italian walnut

oil oak

antique oak*

anthracite

muscato walnut*

old oak*

polar oak CPL

ash CPL

sand oak CPL

oak CPL

white matt

bianco

arctic oak

latte oak

Bawaria oak

copper


carbon oak*

black matt


FINISHING:

- - FINISH FOIL,
- - 3D VENEER
- - CPL LAMINATE,
- - PP PLATINIUM


* decors available while stocks last



DOOR FRAME RANGE 125 – FIXED




DOOR FRAME RANGE (126-200) – SYMMETRIC*



Mounting to system G/K features a masking strip 60 mm



DOOR FRAME RANGE (200-220) TO (400-420) – ASYMMETRIC



● FF ● 3D ● CPL ● PP
Range 125 – FIXED
Range (126-200) – SYMMETRIC*
Range (200-220) – ASYMMETRIC
Range (220-240) – ASYMMETRIC
Range (240-260) – ASYMMETRIC
Range (260-280) – ASYMMETRIC
Range (280-300) – ASYMMETRIC
Range (300-320) – ASYMMETRIC
Range (320-340) – ASYMMETRIC
Range (340-360) – ASYMMETRIC
Range (360-380) – ASYMMETRIC
Range (380-400) – ASYMMETRIC
Range (400-420) – ASYMMETRIC
Range (420-440) – ASYMMETRIC

* Feather square to be trimmed individually to a desired range.

DOUBLE ALUMINIUM SLIDING SYSTEM G/K



System for the doors hidden in the wall, to be mounted with gypsum board in the configuration - double system. The system made entirely of aluminium allows to use each type of non-rebated door wing (does not feature glass doors).

When ordering a hook lock for sliding double doors, it is necessary to order a steel holder for the second door leaf and a striker plate.


Cassette G/K – double aluminium sliding system

DOUBLE CASSETTE G/K
double doors wings


TABLE OF DIMENSIONS [mm]

Door wing width [Sd]	Door wing height [Hd]	Total system width [C']	Door cassette length [D]	Clear opening width after mounting the frame [E']	Clear opening width before mounting the frame [F']	Cassette depth after mounting the frame [G]	Height of light transition [Hp]	System total height [H1]
644	2030	2575	640	1236	1295	653	2018	2115
744		2975	740	1436	1495	753		
844		3375	840	1636	1695	853		
944		3775	940	1836	1895	953		
1044		4175	1040	2036	2095	1053		


DOOR FRAME FOR DOUBLE ALUMINIUM SYSTEM G/K




AVAILABLE DECORS:




DOOR FRAME RANGE 125 – FIXED



DOOR FRAME RANGE (126-200) – SYMMETRIC*



DOOR FRAME RANGE (200-220) TO (400-420) – ASYMMETRIC



FINISHING:

● – FINISH FOIL

● – 3D VENEER

● – CPL LAMINATE

● – PP PLATINIUM

*decors available while stocks last



Door frame connection: 45°

Mounting to system G/K features a masking strip 60 mm

● FF ● 3D ● CPL ● PP

Range 125 – FIXED

Range (126-200) – SYMMETRIC*

Range (200-220) – ASYMMETRIC

Range (220-240) – ASYMMETRIC

Range (240-260) – ASYMMETRIC

Range (260-280) – ASYMMETRIC

Range (280-300) – ASYMMETRIC

Range (300-320) – ASYMMETRIC

Range (320-340) – ASYMMETRIC

Range (340-360) – ASYMMETRIC

Range (360-380) – ASYMMETRIC

Range (380-400) – ASYMMETRIC

Range (400-420) – ASYMMETRIC

Range (420-440) – ASYMMETRIC

* Feather square to be trimmed individually to a desired range.

SINGLE ON-WALL SLIDING SYSTEM



SLIDING SYSTEM



This solution allows for an easy and simple way of installing the rail and the door wing without disrupting the existing wall. Door wing slides along the wall on the rail mounted above the door opening or to the lintel. The system includes: aluminium rail 200 cm long (SN 200/100 kg), carriages, mounting elements and the masking band (curtain rail). It is possible to make a single on-wall sliding system with curtain rail of length 150 cm. Sliding system (aluminium rail + masking trim, length 200 or 150 cm, for door wings 100 cm wide a system 220 cm long is recommended:


● FF ● 3D ● CPL ● PP

Door wing:

- Non-rebated sliding door wing
- Installed PVC door holder of wing colour

Additional charges:

- Adjustable tunnel frame
- Fender beam: ● FF ● 3D ● CPL ● PP
- Steel round holder
- Steel oval holder*
- Hook lock
- Door closer



Steel round holder
colour: silver, graphite

Steel oval holder
colour: silver, graphite

Hook lock
+ rosette


* oval holder does not feature installing hook lock

FRAMED DOOR WINGS	Prices according to the catalogue offer + additional charge page 14 - 101
FULL PANEL PLAIN DOOR WINGS	● Finish Foil, ● CPL, ● PP Platinum
FULL PLAIN VARNISHED DOOR WINGS	Available decors page 136 ● HDF
GALZED PLAIN VARNISHED DOOR WINGS	Prices according to the catalogue offer + additional charge page 137,139


Non-rebated painted door wing made with the edge in non-soft technology (slight colour difference might occur).

Non-rebated door wings do not feature ventilation cut. Ventilation sleeves can be provided.

NON-REBATED LEFT (SLIDING TO THE LEFT) DOOR WING




NON-REBATED RIGHT (SLIDING TO THE RIGHT) DOOR WING




DOOR CLOSER - slows the movement of the door wing in the final phase of its closing, aligning it gently into the frame. Increases doors use safety and prevents the wing from bumping onto the door frame.




For interior doors, excluding glass doors.




TUNNEL MOUNTING





MASKING TRIM (CURTAIN RAIL)



FENDER BEAM



WITHOUT MOUNTING



DOUBLE ON-WALL SLIDING SYSTEM



SLIDING
SYSTEM



This solution allows for an easy and simple way to install the rails and the door wings without disrupting the existing wall. Door wings slide along the wall on the rails mounted above the door opening or to the lintel. Standard system set includes: aluminium rail 2x length 200 cm long (SN 200/100 kg), carriages, mounting elements and the two-element masking band (curtain rail). It is possible to make a double on-wall sliding system with aluminium rail of length 2 x 150 cm.

Double sliding system (2x aluminium rail + two-element masking trim): ● FF ● 3D ● CPL ● PP

Door wing:

- Non-rebated sliding door wing
- Installed PVC door holder of wing colour

Additional charges:

- Adjustable tunnel frame
- Steel round holder
- Steel oval holder*
- Hook lock
- Door closer
- Synch to double system

FRAMED DOOR WINGS	Prices according to the catalogue offer + additional charge page 14 – 101
FULL PANEL PLAIN DOOR WINGS	● Finish Foil, ● CPL, ● PP Platinum
FULL PLAIN VARNISHED DOOR WINGS	Available decors page 136 ● HDF
GALZED PLAIN VARNISHED DOOR WINGS	Prices according to the catalogue offer + additional charge page 136-139

Non-rebated varnished door wings are made in non-soft technology (a slight colour difference may occur). Non-rebated door wings do not feature ventilation cut. Ventilation sleeves can be provided. Models: Tango, Antares - glass panel application in the left wing does not constitute a reflection in the right wing.

If hook lock is ordered to double sliding door wing, the other door wing must feature a steel holder and hook lock plate.



Steel round holder
colour: silver, graphite




Steel oval holder
colour: silver, graphite




Hook
lock
+ rosette

* oval holder does not feature installing hook lock


SYNCH TO DOUBLE SYSTEM





Synch system synchronises the movement of door wings in double door system; moving one wing causes analogous movement of the other wing.
For interior doors, excluding glass doors.





MASKING TRIM (CURTAIN RAIL)



TUNNEL MOUNTING



WITHOUT MOUNTING



LOFT GLASS SYSTEM



SLIDING
SYSTEM



PURE GLASS WHITE 80, 90



PURE GLASS GRAPHITE 80, 90


LOFT PURE GLASS system that combines a high level of aesthetics and functionality, intended for glass sliding doors, interior.

LOFT PURE GLASS system will not only visually enlarge space but also emphasise the unique, modern and elegant character of the interior, full of sunlight and space.

Advantages of the system:

- glass pane in various finishes, thanks to which we can emphasise the individual character of the room,
- its discreet separation or integration with the entire interior design
- the system provides illumination of the space and its optical enlargement
- colour of fittings that go with the latest interior decoration trends
- Loft Pure Glass system gives the interior lightness, elegance and a modern character

Max. door weight 70 kg



HOLDER

SYSTEM LOFT LINE



The collections of LOFT LINE systems are the systems inspired by the loft aesthetics - vintage. The visible mechanical elements of the system together with dark lacquer coating add the interior unique character. The system does not feature Windoor and Mono door wings.

Advantages of the system:

- Silent and smooth rail thanks to bearing rolls
- Easy mounting, door wing can be fixed in desired position
- Lacquer coating on the rail and all system elements is characterised by high resistance to mechanical impact, and also it prevents from dust accumulation.

Sliding system **LOFT LINE**

Sliding system **LOFT LINE XL**

Double Sliding system **LOFT LINE**

Double Sliding system **LOFT LINE XL**

Accessories charged additionally:

- **Door closer**
- **Mortise door wing holder**
- **External holder**
- **On-wall bottom rail**, assembly does not require to make drills in the floor
- **Wall clamp** to loft line double system mount
- **Rail clamp**



Door closer



External holder



Rail clamp




Mortise door wing holder



Bottom rail




Rail bracket



LOFT LINE




LOFT LINE XL



DOUBLE SYSTEM

* roller is available in two sizes
 ** featured door wings: LOFT

MAX. DOOR WEIGHT 100 KG MAX
 DOOR WING WIDTH 945 MM RAIL
 LENGTH 2000 MM
 COATING COLOUR: BLACK MATT



ALUMINIUM ON-WALL SLIDING SYSTEM



Single aluminium on-wall sliding system

The system does not feature Windoor and Mono door wings.

Description:

System dedicated to interior doors, combining elegant design, smooth lines with strong rigid rail guide construction and unique slx hardware. The rail is made of high quality anode aluminium.


It features:

- Drilled mounting holes
- Construction enhancement to provide stability and muting system operation
- 'Click' system that enables fast and easy masking trim mounting as well as on-wall profile directly to the rail
- Simple and intuitive mounting system

Maximum working load 100 kg per one door wing

Additional charges:

- Anti-dust brush that can be used to conceal the distance between the top door wing edge and the masking trim. Brush is available in two colours - white or grey.



MAGPLUS

SLIDING SYSTEM



SLIDING
SYSTEM



PRESENTED DECOR: MARENGO

MAGPLUS system with concealed rail system

The system is available for non-rebated panel door wings MAG type.




MAGPLUS sliding system contains micrometric adjustment system that enables vertical and horizontal adjustment, to compensate for any unevenness in the walls.

To increase the smoothness of movement, the system is equipped with a metal bottom rail.

AVAILABLE DECORS:



* decors available while stocks last



MAGPLUS SYSTEM

DOOR WING + STEEL OVAL HOLDER	● FF ● 3D
	● PP
FILLING – SOLID BOARD	
BRASS VENTILATION SLEEVES	

Indication	Description	Width		
		80	90	100
Ss	Width of door wing	844	944	1044
So	Wall opening width	590	690	790
Hs	Height of door wing	2100	2100	2100
Ho	Wall opening height	2000	2000	2000
L*	Upper profile system length	841	941	1041
J*	Bottom profile length	671	771	871

*to self trimming

SOLLER

INTERIOR ENTRANCE DOORS

3D HINGES
Ø 16



VIEWFINDER



UPPER LOCK



BOTTOM LOCK



SECURITY
BOLTS



DOOR HANDLES
AND ROSETTE POLANKA



STAINLESS STEEL
THRESHOLD





CONSTRUCTION

- **REBATED** DOOR WING
- CONSTRUCTION PROFILES MADE OF LAYER-GLUED WOOD
- SOUND-ABSORBING BOARD
- WING THICKNESS 45 mm

FINISHING

- VENEERED DOOR WING

● - 3D VENEER

HARDWARE

- THREE 3D HIDDEN HINGES
- TWO THREE-BOLT LOCKS
- SECURITY BOLTS
- STRIKER PLATE WITH PRESSURE REGULATION OF DOOR WING TO FRAME

EQUIPMENT

- MDF DOOR FRAMES
- SEAL IN DOOR WING AND FRAME
- STAINLESS STEEL THRESHOLD WITH SEAL
- WIDELIGHT VIEWER (no hole for viewfinder)

- DOOR HANDLE + UPPER ROSETTE
- POLANKA - mounting holes for screws.
- COLOURS: NICKEL, BLACK
- CYLINDER, BATHROOM ROSETTE
- DMO**







AVAILABLE WIDTHS

- 80, 90, 100



SOUND ABSORPTION 32 DB

National Technical Assessment
ITB-KOT-2020/1291 edition 1 (Rw=32).
Sound insulation features SOLLER door frame with MDF frame



SOLLER


INTERIOR ENTRANCE
DOORS



AVAILABLE DECORS:



FINISHING -
VENEERED
DOOR WING:
● - 3D VENEER




AVAILABLE
WIDTHS


SELVA 10, 20, LACO

INTERIOR ENTRANCE DOORS


DOOR CLOSER



3D HINGES



HINGE CASINGS




SECURITY BOLTS




AUTOMATIC THRESHOLD



STAINLESS STEEL THRESHOLD



UPPER LOCK



BOTTOM LOCK



DOOR HANDLES AND ROSETTE SHARK





CONSTRUCTION

- **REBATED** DOOR WING
- CONSTRUCTION PROFILES MADE OF LAYER-GLUED WOOD
- STYLISH STRENGTHENING PROFILE
- SOUND-ABSORBING BOARD
- WING THICKNESS 45 mm

FINISHING

- VENEERED DOOR WING
- - CPL LAMINATE, ● - PP PLATINIUM

HARDWARE

- THREE 3D HIDDEN HINGES
- TRIPLE BOTTOM LOCK (two locks if purchased as a set)
- SECURITY BOLTS
- STRIKER PLATE WITH PRESSURE ADJUSTMENT

OF DOOR WING TO FRAME

EQUIPMENT

- MDF DOOR FRAME
- SEAL IN DOOR WING AND DOOR FRAME



AVAILABLE WIDTHS

- 80, 90, 100

SOUND ABSORBPTION 32 dB, 37 dB



National Technical Assessment

ITB-KOT-2020/1291 edition 1 (Rw=32). National Technical Assessment ITB-KOT-2020/1291 edition 1 (Rw=37). Sound insulation applies to SELVA door wing with MDF or steel door frame.

ADDITIONAL CHARGES

- MDF DOOR FRAME
- METAL FIXED DOOR FRAME POWDER-COATED (PAGE 169)
- METAL ADJUSTABLE DOOR FRAME POWDER-COATED (PAGE 169)
- UPPER LOCK
- DOOR HANDLE SHARK, Colours: black, inox
 - mounting holes for screws only when purchased in a set
- UPPER ROSETTE SHARK, Colours: black, inox
 - mounting holes for screws only when purchased in a set
- CYLINDER 31/41 DMO
- BATHROOM LOCK DMO
- WIDE ANGLE VIEWFINDER (Colours: chrome, black) - (no hole for viewfinder)
- VIDEO CAMERA (no hole for video camera)
- AUTOMATIC THRESHOLD IN DOOR WING
- STEEL TRESHOOLD
- EXTERIOR DOOR CLOSER
- HINGE CASINGS
- SOUND ABSORBPTION 37 dB (for door set SELVA or wing SELVA)

REINFORCEMENT
STEEL PROFILES



DOOR WING
SEAL

DOOR FRAME
SEAL

SECURITY
BOLT

ENHANCEMENT
- SOLID BOARD

MDF DOOR
FRAME





AVAILABLE DECORS:



ash CPL

sand oak CPL

polar oak CPL

oak CPL



white matt

bianco

arctic oak

latte oak

Bawaria oak

copper

black matt

FINISHING - VENEERED
DOOR WING:
● - CPL LAMINATE,
● - PP PLATINIUM




SELVA

SELVA 10

SELVA 20

Intarsia width 6 mm. Color: black



SET

(DOOR WING - TWO LOCKS+MDF FRAME+HANDLE AND ROSETTE SHARK+STEEL THRESHOLD +VIEWFINDER (NO DRILLING FOR THE VIEWFINDER)+CYLINDER AND DMO CYLINDER KNOB)



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 163

SELVA LACO

INTERIOR ENTRANCE DOORS



AVAILABLE DECORS:



ash CPL



sand oak CPL



polar oak CPL



oak CPL



white matt



bianco



arctic oak



latte oak



Bawaria oak




copper



black matt



SELVA LACO



Lacobel glass glued
in HDF board
in line with door wing
surface

SET

(DOOR WING - TWO LOCKS+MDF FRAME+HANDLE AND ROSETTE SHARK+STEEL THRESHOLD
+VIEWFINDER (NO DRILLING FOR THE VIEWFINDER)+CYLINDER AND DMO CYLINDER KNOB)



AVAILABLE
WIDTHS



ADDITIONAL
CHARGES
PAGE 163

DOOR FRAMES FOR SOLLER, SELVA

INTERIOR ENTRANCE



MDF FIXED DOOR FRAME





TABLE OF DIMEN- SIONS [mm]	A	B	C	D	E	F	G	H	I	J
	Clear opening width after mounting the frame	Internal width of door frame (space for door wing)	Internal width of door wing	Total width of door wing	Externatl width of door frame	Internal height of door frame (space for door wing)	Height of light transition (excluding the threshold)	Door wing height (from the floor to rebate)	Total door wing height (from the floor)	External height of door frame
80	818	840	834	860	906	2029	2018	2026	2039	2062
90	918	940	934	960	1006	2029	2018	2026	2039	2062
100	1018	1040	1034	1060	1106	2029	2018	2026	2039	2062


DOOR FRAMES FOR SELVA

INTERIOR ENTRANCE

METAL DOOR FRAMES




I. FIXED DOOR FRAME



II. ADJUSTABLE DOOR FRAME

ADJUSTABLE DOOR FRAME 80-90	ADJUSTABLE DOOR FRAME 100
95 - 125	95 - 125
125 - 155	125 - 155
155 - 185	155 - 185
185 - 215	185 - 215
215 - 245	215 - 245
245 - 275	245 - 275
275 - 305	275 - 305




AVAILABLE COLOURS:



INTER EI30, EI60 FIRE RESISTANT INTERIOR ENTRANCE DOORS

DOOR CLOSER




VIEWFINDER



LOCK



3D HINGES



DOOR HANDLE UNO



DOOR HANDLE AHW



AUTOMATIC THRESHOLD



STAINLESS STEEL
THRESHOLD



Fireproof, smoke-proof and acoustic features are ensured only by the installation of a complete set, which includes: a fire door wing (by default equipped with an acoustic seal, hinges, lock, automatic threshold), a wooden door frame (with a fireproof, intumescent and acoustic seal), a metal threshold, a door closer and cylinder and handle that meet the requirements of the Polish Norm.



CONSTRUCTION

- REBATED DOOR WING
- VERTICAL RAILS OF CONIFEROUS WOOD
- WING TIGHTNESS EI30 – 50 mm, EI 60 – 60 mm
- FILLING WITH SPECIAL HALSPAN BOARD
- FIRE SEAL
- SMOKE PROTECTION SEAL
- AUTOMATIC THRESHOLD

FINISHING

- VENEERED DOOR WING
 - - 3D VENEER, ● - CPL LAMINATE,
 - - PP PLATINIUM

HARDWARE

- THREE 3D HINIGES (EI30)
- FOUR 3D HINGES (EI60)
- BOTTOM LOCK

EQUIPMENT

- WOODEN DOOR FRAME
- SEAL WITH DOOR WING AND FRAME

ADDITIONAL CHARGES

- CYLINDER HEKTOR
- DOOR HANDLE UNO Colours: nickel, black
- ROSETTE UNO Colours: nickel, black
- DOOR HANDLE AHW
- ROSETTE AHW
- DOOR CLOSER
- FIRE SAFETY VIEWFINDER (NO HOLE FOR VIEWFINDER)
- STAINLESS STEEL THRESHOLD WITH SEAL






TABLE OF DIMENSIONS [mm]	A	B	C	D	E	F	G	H	I	J
	Clear opening width after mounting the frame	Internal width of door frame (space for door wing)	Internal width of door wing	Total width of door wing	Externatl width of door frame (no space for mounting foam)	Internal height of door frame (space for door wing)	Height of light transition (excluding the threshold)	Door wing height (from the floor to rebate)	Total door wing height (from the floor)	External height of door frame (no space for mounting foam)
EI 30 “90”	918	942	934	960	1026	2026	2014	2022	2035	2068
EI 30 “100”	1018	1042	1034	1060	1126					
EI 60 “90”	920	944	934	960	1028	2026	2014	2022	2035	2068
EI 60 “100”	1020	1044	1034	1060	1128					

INTERIOR ENTRANCE DOORS

INTER EI30, EI60



AVAILABLE DECORS:

									
paris	Norwegian oak	sonoma oak	oil oak	silver oak FOL	Italian walnut	ash CPL	sand oak CPL	polar oak CPL	oak CPL
									
white matt	bianco	arctic oak	latte oak	Bawaria oak	copper	black matt			



EI 30 – National Technical Assessment ITB-KOT-2018/0407 edition 1 and National Certificate of Constancy of Performance Characteristics No. 020-UWB-0567/W.

EI 60 – National Technical Assessment ITB-KOT-2018/0407 edition 1. In order to meet the conditions of the construction law for doors with fire insulation.


- Door wing and door frames adapted for installation of automatic door closer.
- Fire doors should be equipped with plates with a steel core handle.
- Acoustic insulation class $R_w=32$ dB.
- Wings not available in double door version.

NON-REBATED DOOR FRAME V-RETTO


DOOR
FRAMES



AVAILABLE DECORS:



Czech norm non-rebated panel door wings are 26 mm wider (tech. info. page 198)



ADJUSTMENT RANGE

● FF ● 3D
● CPL ● PP

80-100
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460

V-Retto = door frame connection 90° + door frame band 80 mm

Connection ranges of non-rebated adjustable V-Retto door frames ● FF, ● 3D, ● CPL, ● PP

One-element door frames: 80-100 to 300-340

Two-element door frames: 340-380 to 420-460




- Door frames of following widths: 60 – 100
- Door frame band width – 80 mm
- Additional charge: Door frames to double doors price + 30%, does not feature collections MAGNETIC and LOFT.
- Tunnel = V-Retto Standard door frame page 178
- Additional charge: Third Hinge

Door frames above the range 460 mm are available at individual inquiry.

NON-REBATED FIXED DOOR FRAME



AVAILABLE DECORS:



Czech norm non-rebated panel door wings are 26 mm wider (tech. info. page 198)

NON-REBATED FIXED DOOR FRAME

● FF, ● 3D, ● CPL, ● PP

Base left, right
Upper beam 60-100
Base to double doors
Beam to double doors
Masking trim 60x8x5500 mm
Masking trim 70x12x5500 mm
Quarter round 18x18 mm
Masking trim 60x8 mm to double doors
Masking trim 70x12 mm to double doors
Quarter round 18x18 mm to double doors

Third hinge – extra charged

NON-REBATED

REVERSE




ADJUSTABLE DOOR FRAME



AVAILABLE DECORS:



FINISHING:
● - FINISH FOIL
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM
* decors available while stocks last



Upper beam thickness - 16 mm

ADJUSTMENT RANGE

70-90
90-130
130-170
170-210
210-250
250-290
290-330
330-370
370-410
410-450
450-490
490-530
530-570
570-610



REBATED ADJUSTABLE
DOOR FRAME

DOOR
FRAMES



V-RETTO STANDARD



AVAILABLE DECORS:




FINISHING:
● - FINISH FOIL,
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM
* decors available while
stocks last

ADJUSTMENT RANGE

● FF ● 3D ● CPL ● PP

80-100
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460



Ranges of V-Retto adjustable rebated door frame connections:

● FF, ● 3D, ● CPL, ● PP

One-element door frames: 80-100 to 300-340

Two-element door frames: 340-380 to 420-460

- Width of door frame masking band - 80 mm
- Additional charge: Door frame to double doors + 30% of door frame price
- V-Retto = door frame connection at angle 90° + masking band 80 mm



Door frame
connection: 90°



ADJUSTABLE STANDARD DOOR FRAME




AVAILABLE DECORS:



* decors available while stocks last



- Additional charge: Door frame to double doors +30% door frame price
- Door frame to glass doors - there is a difference to standard adjustable door frames
- Price of tunnel frame = price of adjustable frame.
- Door frame to glass doors
 - There is a difference to standard adjustable door frames
 - Type of door frame must be considered when ordering.



A COLOUR DIFFERNECE MAY OCCURE BETWEEN FRAME
AND BOARD OF VARNISHED DOOR WING

ADJUSTABLE DIN DOOR FRAMES - SQUARE 60x45 mm

ADJUSTMENT RANGE	
● FF ● 3D ● CPL ● PP	
60-80	
80-100	
100-120	
120-140	
140-160	
160-180	
180-200	
200-220	
220-240	
240-260	
260-280	
280-300	
300-320	
320-340	
340-360	
360-380	
380-400	
400-420	

Additional charge: door frames to PLATO door wings

ADJUSTABLE DIN DOOR FRAMES - SQUARE 80x65 mm

ADJUSTMENT RANGE	
● FF ● 3D ● CPL ● PP	
80-100*	
100-140	
140-180	
180-220	
220-260	
260-300	
300-340	
340-380	
380-420	

*SQUARES 80x45 mm

SQUARES - BAND WIDTH 60 mm

square to adjustable door frame 3D FF 60x45 mm lub 60x65 mm

square to adjustable door frame CPL 60x45 mm lub 60x65 mm

square to adjustable door frame V-PLATINIUM 60x45 mm lub 60x65 mm

SQUARES - BAND WIDTH 80 mm

square to adjustable door frame 3D FF 80x45 mm lub 80x65 mm

square to adjustable door frame CPL 80x45 mm lub 80x65 mm

square to adjustable door frame V-PLATINIUM 80x45 mm lub 80x65 mm

Square is the product to be ordered only as the separate item.





Connection ranges of adjustable door frames:


● FF, ● 3D, ● CPL, ● PP

One-element door frames: 80-100 to 300-320


Two-element door frames: 320-340 to 400-420




Square to adjustable frame
- width 60 mm




Square to adjustable frame
- width 60 mm



Square to adjustable frame
- width 80 mm



Square to adjustable frame
- width 80 mm



A COLOUR DIFFERENCE MAY OCCUR BETWEEN THE DOOR
FRAMES AND VARNISHED BOARD DOOR WINGS

CASING FRAME

TO MOUNTING OF STEEL DOOR FRAME

DOOR
FRAMES



AVAILABLE DECORS:



FINISHING:
 ● – FINISH FOIL,
 ● – 3D VENEER
 ● – CPL LAMINATE,
 ● – PP PLATINIUM

* decors available while stocks last



Connection ranges of casing door frame:

● FF, ● 3D, ● CPL, ● PP

One-element door frames:

80-100 do 260-280

Two-element door frames:

280-300 do 400-420

CASING DOOR FRAME

● FF, ● 3D, ● CPL, ● PP

To mounting of steel door frame 80 mm set (80-100)

To mounting of steel door frame 100 mm set (100-120)

To mounting of steel door frame 120 mm set (120-140)

To mounting of steel door frame 140 mm set (140-160)

To mounting of steel door frame 160 mm set (160-180)

To mounting of steel door frame 180 mm set (180-200)

To mounting of steel door frame 200 mm set (200-220)

To mounting of steel door frame 220 mm set (220-240)

To mounting of steel door frame 240 mm set (240-260)

To mounting of steel door frame 260 mm set (260-280)

To mounting of steel door frame 280 mm set (280-300)

To mounting of steel door frame 300 mm set (300-320)

To mounting of steel door frame 320 mm set (320-340)




To mounting of steel door frame 340 mm set (340-360)

To mounting of steel door frame 360 mm set (360-380)

To mounting of steel door frame 380 mm set (380-400)

To mounting of steel door frame 400 mm set (400-420)

Door frames above the range 420 mm are available at individual inquiry.



A COLOUR DIFFERENCE MAY OCCUR BETWEEN FRAME AND BOARD OF VARNISHED DOOR WING

FIXED DOOR FRAME

AVAILABLE DECORS:



FINISHING:
● - FINISH FOIL
● - 3D VENEER
● - CPL LAMINATE
● - PP PLATINIUM

* decors available while stocks last

FIXED DOOR FRAME

● FF, ● 3D, ● CPL, ● PP




- Base left, right
- Enhanced base (inlets)
- Enhanced base (inlets) Plato door wing
- Upper beam 60-100
- Base to double doors door frame
- Enhanced base (inlets) to double door frames
- Upper beam to double doors
- Masking trim 60x8x5500 mm
- Masking trim 70x12x5500 mm
- Masking trim 60x8 mm to double doors
- Masking trim 70x12 mm to double door frames
- Quarter round 18x18 mm
- Quarter round 18x18 mm to double door frames



standard two pin hinge
with regulation





Black hinges are available
only with enhanced door
frame with insets




A COLOUR DIFFERENCE MAY OCCUR BETWEEN FRAME AND BOARD OF VARNISHED DOOR WING

TOPS

TO V-RETTO ADJUSTABLE DOOR FRAMES





AVAILABLE DECORS:



* decors available while stocks last

TOPS

TO ADJUSTABLE DOOR FRAMES



AVAILABLE DECORS:



* decors available while stocks last

ACCESSORIES



OPENWORK TO SLIDING DOOR WINGS

Openwork – decorative panel made of steel
0.7 mm painted RAL 9005.

It is glued by default on the door wing
surface. It is dedicated to non-rebated full
plain door wings in sliding system. It does
not feature full plain HDF varnished plain
door wings.

Available width in Polish norm
80, 90, 100.

Additional charge:
Round steel holder







BAND 100 ADJ

dedicated to standard adjustable door
frame with square 60x45 mm

AVAILABLE DECORS:



* decors available while stocks last



ACCESSORIES



PROTECTION PROFILE

PROTECTION PANEL INOX CENTRE




PROTECTION PANEL INOX BOTTOM




PROTECTION PANEL INOX VENTILATION



Bottom protection panel with ventilation, dimension for width 80




Steel ventilation grill




available colours:



Centre protection panel with holes for bathroom/key lock/cylinder



Centre protection panel with holes for economy lock



FLOOR MOULDING TRIM



AVAILABLE DECORS:




Trims are packed 5 pcs a set, length 2050 mm. Trims are sold only in a set.

● FF, ● 3D
● CPL ● PP

FLOOR MOULDING TRIM 80x16x2050 mm

ADDITIONALLY CHARGED OPTIONS:
- MOUNTING BUCKLES FOR FLOOR MOULDING TRIM 1 SET (30 PCS)

* decors available while stocks last



DECORATIVE PROFILES: LAMELLAS



PRESENTED DECOR: SAND OAK CPL

Lamella – a decorative element used to decorate both walls and ceilings.

The lamella consists of two elements: a mounting strip, which is mounted directly on the wall or ceiling with mounting glue or screws, and a U profile covered with decorative foil, which is mounted on the mounting strip.

Lamella is made of MDF and is veneered: ● FF, ● 3D, ● CPL, ● PP

AVAILABLE DECORS:



* decors available while stocks last

Lamellas are packed 4 pcs. in a set. Length 2800 mm.

Package weight 14 kg.


Lamellas are sold only in a set.

Due to non-standard dimensions of the package (length over 2800 mm) in some cases an additional transportation cost must be added:


- weight to 30 kg (1-2 sets)
- weight to 500 kg

Additional transportation cost should be consulted with the sales point.

Rimless LAMELLAS – to individual cutting.



MOUNTING PROFILE



DECORATIVE PROFILES (length 2800)



DOOR HANDLES



ADELA-QRS SLIM



Colours: black, chrome, nickel satin

ELENA-QRS SLIM



Colours: black, chrome, nickel satin, white

DENVER-QRS SLIM




Colours: black, chrome, nickel satin, white



ROSETTE QRS SLIM, KEY, CYLINDER
BATHROOM ROSETTE

Colours: black, chrome, nickel satin, white

DOOR HANDLES
AND ROSETTES QRS SLIM



BLACK



WHITE



CHROME



NICKEL SATIN

ADEL-QR



Colours: black/gold mat

ADEL-QR



Colours: gold mat



ROSETTE QR, KEY, CYLINDER
BATHROOM ROSETTE

Colours: black/gold mat, gold mat



BLACK / GOLD
MAT



GOLD MAT

FOKUS-QR



Colours: black, nickel satin velvet, titan,
chrome lacquered

PRESTO-QR



Colours: chrome lacquered/nickel
lacquered



NICKEL
LACQUERED



CHROME
LACQUERED



CHROME
LACQUERED/
NICKEL
LACQUERED



NICKEL SATIN



BRONZE
GRAFIATTO



TITAN



BLACK

JARO-QR ECO



Colours: chrome lacquered/nickel lacquered

INSIGNIA-QR



Colours: chrome lacquered/nickel lacquered

PALERMO-QR



Colours: nickel lacquered

JANE-QR



Colours: chrome lacquered/nickel lacquered

TIPO-QR



Colours: black, nickel lacquered

AXE-QR



Colours: black/white

ROMANA-R



Colours: bronze grafiatto, chrome lacquered/nickel lacquered

JARO-R ECO



Colours: chrome lacquered/nickel lacquered

TIPO-R



Colours: bronze grafiatto, nickel lacquered



ROSETTE, KEY, CYLINDER
BATHROOM ROSETTE

Colours: chrome lacquered, nickel lacquered, nickel satin velvet, titan, bronze grafiatto, chrome lacquered/nickel lacquered, black



ROSETTE, KEY, CYLINDER
BATHROOM ROSETTE

Colours: bronze grafiatto, chrome lacquered/nickel lacquered, chrome lacquered/white



DOOR HANDLES



QUBIK-QR



Colours: chrome lacquered, nickel lacquered, nickel satin velvet, titan, black

NEMO-QR



Colours: nickel lacquered

TIK-QR



Colours: chrome lacquered/anthracite, chrome lacquered/nickel lacquered



ROSETTE, KEY, CYLINDER
BATHROOM ROSETTE
Colours: chrome lacquered, nickel lacquered, nickel satin velvet, titan, bronze grafiatto, chrome lacquered/nickel lacquered, black

ERIS-QR



Colours: chrome lacquered/nickel lacquered

MILO-QR



Colours: chrome lacquered/nickel lacquered

ENE-QR



Colours: chrome lacquered/nickel lacquered

SIGMA-QR



Colours: stainless steel



MAFF-QR



Colours: chrome lacquered/anthracite, chrome lacquered/nickel lacquered



ROSETTE KW-QR, KEY, CYLINDER
BATHROOM ROSETTE KW-QR
Colours: chrome lacquered/nickel lacquered



ROSETTE SN04, KEY, CYLINDER
BATHROOM ROSETTE SN04
Colours: stainless steel



ROSETTE QUANTA-QR, KEY, CYLINDER
BATHROOM ROSETTE QUANTA-QR
Colours: chrome lacquered/anthracite, chrome lacquered/nickel lacquered

PRO



DOOR HANDLE
CYLINDER/KEY
BATHROOM DOOR HANDLE
Colours: bronze grafiatto, nickel lacquered

JARO-ECO



DOOR HANDLE
CYLINDER/KEY
BATHROOM DOOR HANDLE
Colours: chrome lacquered/nickel lacquered

REAL-ECO



DOOR HANDLE
CYLINDER/KEY
BATHROOM DOOR HANDLE
Colours: chrome lacquered/nickel lacquered



CHROME
LACQUERED



CHROME
LACQUERED/
NICKEL
LACQUERED



CHROME
LACQUERED/
WHITE



CHROME
LACQUERED/
BLACK



BRONZE
GRAFIATTO



NICKEL
LACQUERED



NIKIEL
SATIN
VELVET




TTITAN



BLACK

HINGE CASINGS




To interior door wings

	color
CYLINDER 26/36 M2	brass
CYLINDER 26/36 M9	nickel
CYLINDER 26/36G M2	brass
CYLINDER 26/36G M9	brass


CYLINDER and CYLINDERKNOB "WILKA" WITH ONE-KEY SYSTEM FOR INTERNAL ENTRANCE DOORS



BRASS VENTILATION SLEEVES




Hinge 1 pc to door wing and enhanced adjustable and fixed door frame together with inset. Not available in Czech norm and Models: Q, X, Y, V.




DOOR CLOSER

DOOR CLOSER - slows down the movement of the door wing in the final phase of its closing, aligning it gently into the frame. Increases doors exploitation safety and prevents the wing from bumping onto the door frame. For interior doors, excluding glass doors.



DOUBLE DOORS SYNCH SYSTEM

Synch system synchronises the movement of door wings in double door system; moving one wing causes analogous movement of the other wing. For interior doors, excluding glass doors.



SEALS

Seal pressed to door frame interior – set. 5 linear metres



door frame colours

seal colours						
EXTRA BEIGE	BROWN GREY	WHITE	BLACK	ZINC GREY	GRAPHITE GREY	SILVER 62
ACACIA MORAVA	ANTHRACITE	WHITE	BLACK	ARCTIC OAK	GRAPHITE MATT	PINE
MONTANA OAK	ANTIQUÉ OAK	BIANCO	BLACK MATT	POLAR OAK CPL		
OIL OAK	OAK CPL	WHITE MATT	CARBON OAK	SILVER OAK		
OREGON OAK	OLD OAK	NORWEGIAN OAK	DARK DEEP BLUE	PARIS		
SAND OAK CPL	CASPIAN WALNUT	SWEDISH OAK				
SCANDINAVIAN OAK	MUSCATO WALNUT	CANADIAN OAK				
SONOMA OAK	COPPER					
LATTE OAK						
BAVARIA OAK						
ASH CPL						
WHITE WALNUT						
ITALIAN WALNUT						

RED	BLUE	YELLOW
HAVANA	PANAMA	BAHAMA


ACCESSORIES



MASKING TRIMS



Masking trim
60x8x5500 mm, 5,5 mb
● FF, ● 3D, ● CPL, ● PP



Masking quarter round
18x18x5500 mm
● FF, ● 3D, ● CPL, ● PP



Masking trim soft
70x12x5500 mm, 5,5 mb
● FF, ● 3D, ● CPL, ● PP

1 set for one side of door frame

ELECTRIC STRIKE

Available types of electric strikes 12 V:

- 410-12AC/DC (closed, supplying power causes opening)
- 1411-12DC (open, supplying power causes closing)
- 1420-12AC/DC (with the switch, closed, supplying power causes opening, can be switched off manually by moving the lock latch)

Electric strike is available to following door frames:


- Electric strike is available to following door frames:
- adjustable V-RETTO page. 178-179
- adjustable standard page 180-181
- fixed page 183



AUTOMATIC THRESHOLD




Door wing with automatic threshold



Door wing without automatic threshold

AUTOMATIC THRESHOLD – FEATURES FRAMED
AND PANEL DOOR WINGS



- Mounted on the bottom part of door wing
- Automatic, gradual descending with closing the wing
- Increased soundproofing
- Exact, fixed seal press that eliminates the need for standard threshold
- Simple regulation of press power

TECHNICAL INFORMATION

DOOR WING RIGHT



DOOR WING LEFT



REBATED DOOR WING



NON-REBATED DOOR WINGS




TECHNICAL INFORMATION

REBATED SINGLE DOOR WINGS


All Voster rebated door wings match door frames accordant to Polish building norms

- Standard width of door wings: 60, 70, 80, 90.
- Width 100 – framed door wings (does not feature wings: Kubus, Lupus, Incanto, Prado, Mediolan, Bornos): additional charge
- Width 100 – panel door wing additional charge
- Lock has one turn-key option
- Due to the fact that the decorative foil with which our products are glued imitates the grain of the wood, which does not have the same grain pattern and the same colour throughout the length and width of the tree, the decorative foil in the longitudinal and transverse direction does not have the same colours and grains.
- Panel wings (honeycomb), width 100 and wings enhanced with a solid board, width 60 - 100, are equipped with three hinges as standard.

POLISH NORM




CZECH NORM




SINGLE NON-REBATED DOOR WINGS

POLISH NORM



CZECH NORM



- Standard width of door wings: 60, 70, 80, 90.
- Width 100 – non-rebated framed door wings: additional charge. Does not feature wings: MEDIOLAN and LOFT.
- Width 100 – panel door wing additional charge
- Due to the fact that the decorative foil with which our products are glued imitates the grain of the wood, which does not have the same grain pattern and the same colour throughout the length and width of the tree, the decorative foil in the longitudinal and transverse direction does not have the same colours and grains.
- Between ABS rim and the wing surface a slight difference in colour and structure might appear.



FRAMED DOOR WINGS




FRAMED DOOR WINGS PLATINIUM COLLECTION

- solid construction
- 3 pintle hinges
- 3 regulated pintle hinges – PLATINIUM COLLECTION
- Innovative way of rail veneering: rimless
- Rail of coniferous wood – PLATINIUM COLLECTION
- Rigid, stable construction
- High endurance to mechanical impact
- No glazing beads
- Tempered glass
- Smooth side of the glass is on the wider side of the door wing.
- Glass can be fixed reversely - no additional charge.
- Lock has one turn-key option
- Possibility to independently cut the framed door wings up to 4 cm in the Polish norm and 3 cm (door leaf LOFT - maximum 2 cm) in the Czech norm without losing the warranty - does not feature


sliding door wings and double doors.

- The manufacturer reserves the possibility of differences in the translucency and coloration of the panes made in screen printing technology, compared to the panes installed in the exhibition wings or in the earlier production runs of the door wings.
- Door wing can be made without a drill for key (economy lock) – no additional charge.
- Central elements of door wings MOBI, DUO can be made both of solid MDF board or cell board which results in the weight of a door wing. However it does not affect quality and endurance of the product.

REBATED DOOR WING IN CZECH NORM



BOTTOM RAIL



BOTTOM RAIL
IN CZECH NORM

Height of bottom rail in Czech norm:
door wing DUO: 359 mm (406 mm PL),
rebated door wing MOBI: 342 mm (389 mm pl),
door wings: VINCI, BELLO, MEDIOLAN,
BORNOS: 133 mm (180 mm pl).
Non-rebated door wings in Czech norm –
bottom rail with cut 47 mm.
Door wings: LOFT (20, 30), KUBUS, MONO,
WINDOOR (IV, SPHAGETTI), PLATO – not
available in Czech norm.

TECHNICAL INFORMATION

FRAMED DOOR WINGS



Internal section



Solid – massive FRAMED construction (no honeycomb core filling)

VENTILATION SOLUTIONS



VENTILATION CUT


20



Ventilation sleeves:

- door wing width 60, 70 – 4 pcs.

80




Ventilation sleeves:

- door wing width 80, 90 – 5 pcs.

Grilled PVC ventilation sleeve – Ø 47 mm.

Brass ventilation sleeve – Ø 40 mm.





VENTILATION CUT OF DOOR WING MODERNO

Rail of coniferous wood features PLATINIUM COLLECTION.



NON-REBATED SLIDING DOOR WING



right sliding door



left sliding door

sliding door wings
– veneering rails 360°



invisible rim



Options of door wing stabilising filling




Honeycomb core – standard




Enhancement – solid board – additionally charged

Construction of panel door wing



Construction of Bulaj wing



DOUBLE DOORS



Left wing passive / right wing active



Left wing active / right wing passive

TECHNICAL INFORMATION

DOUBLE DOORS

Rebated double door wings

Dimension symbol	Dimensions [mm]		
	SZ	SW	Configuration: active wing (A) + passive (B)
100D	1091	1065	744+344*, 644+444
110D	1191	1165	844+344*, 744+444, 644+544
120	1291	1265	944+344*, 844+444, 744+544, 644+644
130	1391	1365	1044+344*, 944+444, 844+544, 744+644, 644+744
140	1491	1465	1044+444, 944+544, 844+644, 744+744, 644+844
150	1591	1565	1044+544, 944+644, 844+744, 744+844, 644+944
160	1691	1665	1044+644, 944+744, 844+844, 744+944, 644+1044
170	1791	1765	1044+744, 944+844, 844+944, 744+1044
180	1891	1865	1044+844, 944+944, 844+1044
190	1991	1965	1044+944, 944+1044
200	2091	2065	1044+1044

*dimension 30 (344) only for full plain door wings



DOUBLE DOOR WINGS = WING PRICE x 2 + ADDITIONAL CHARGE


Framed door wings of width 40, 50 do not feature tempered glass.

There may appear a colour difference in the glass.


Panel door wing width 30, 40, 50 available without glazing.

Collection of framed door wings: Incanto, Prado, Mediolan, Bello, Bornos, Kubus, Rocco, Tango are not available in width 40, 50.

Rebated double doors – fixed door frame



Rebated double doors – adjustable standard door frame



dimensions (mm)				
Dimension symbol	A	B	C	D
100D	1049	1071	1137	1161
110D	1149	1171	1237	1261
120	1249	1271	1337	1361
130	1349	1371	1437	1461
140	1449	1471	1537	1561
150	1549	1571	1637	1661
160	1649	1671	1737	1761
170	1749	1771	1837	1861
180	1849	1871	1937	1961
190	1949	1971	2037	2061
200	2049	2071	2137	2161

dimensions (mm)						
Dimension symbol	A'	B'	C'	D'	E' (for 60)	E' (for 80)
100D	1049	1071	1093	1123	1191	1231
110D	1149	1171	1193	1223	1291	1331
120	1249	1271	1293	1323	1391	1431
130	1349	1371	1393	1423	1491	1531
140	1449	1471	1493	1523	1591	1631
150	1549	1571	1593	1623	1691	1731
160	1649	1671	1693	1723	1791	1831
170	1749	1771	1793	1823	1891	1931
180	1849	1871	1893	1923	1991	2031
190	1949	1971	1993	2023	2091	2131
200	2049	2071	2093	2123	2191	2231



DOUBLE DOORS

Non-rebated double door wings

Dimension symbol	Dimensions [mm]	
	SZ	Configuration: active wing (A) + passive (B)
100D	1078	744+344*, 644+444
110 D	1178	844+344*, 744+444, 644+544
120	1278	944+344*, 844+444, 744+544, 644+644
130	1378	1044+344*, 944+444, 844+544, 744+644, 644+744
140	1478	1044+444, 944+544, 844+644, 744+744, 644+844
150	1578	1044+544, 944+644, 844+744, 744+844, 644+944
160	1678	1044+644, 944+744, 844+844, 744+944, 644+1044
170	1778	1044+744, 944+844, 844+944, 744+1044
180	1878	1044+844, 944+944, 844+1044
190	1978	1044+944, 944+1044
200	2078	1044+1044

*dimension 30 (344) only for full plain door wings



DOUBLE DOOR WINGS = WING PRICE x 2 + ADDITIONAL CHARGE

Framed door wings of width 40, 50 do not feature tempered glass.


There may appear a colour difference in the glass.

Door wing MEDIOLAN is not available in width 40 and 50.

LOFT and MAGNETIC COLLECTIONS do not feature double-doors version.


Dimension symbol	dimensions (mm)			
	A	B	C	D
100D	1062	1084	1150	1174
110 D	1162	1184	1250	1274
120	1262	1284	1350	1374
130	1362	1384	1450	1474
140	1462	1484	1550	1574
150	1562	1584	1650	1674
160	1662	1684	1750	1774
170	1762	1784	1850	1874
180	1862	1884	1950	1974
190	1962	1984	2050	2074
200	2062	2084	2150	2174

Non-rebated double door wings – fixed door frame V-retto



Dimension symbol	dimensions (mm)				
	A'	B'	C'	D'	E'
100D	1062	1084	1106	1136	1244
110D	1162	1184	1206	1236	1344
120	1262	1284	1306	1336	1444
130	1362	1384	1406	1436	1544
140	1462	1484	1506	1536	1644
150	1562	1584	1606	1636	1744
160	1662	1684	1706	1736	1844
170	1762	1784	1806	1836	1944
180	1862	1884	1906	1936	2044
190	1962	1984	2006	2036	2144
200	2062	2084	2106	2136	2244

Non-rebated double door wings – adjustable door frame V-retto



GLAZING*



4 mm thick.
Tempered glass.
Glass smooth on both
sides.

TRANSPARENT GRAPHITE



4 mm thick.
Tempered glass
with application in
black colour on the
side of door wing
opening.
Glass smooth on both
sides.

With application LOFT 20, 30



4 mm thick.
Tempered glass.
Features smooth
and frosted side.

WHITE PAINTED



4 mm thick.
Tempered glass.
Features smooth
and frosted side.

BLACK PAINTED




4 mm thick.
Tempered glass.
Glass smooth
on both sides.

TRANSPARENT




4 mm thick.
Tempered glass.
Features smooth
and frosted side.

TEMPERED




4 mm thick.
Safety glass.
Glass smooth on both
sides.

WHITE VSG 22.1 (2x2 mm)




4 mm thick.
Safety glass.
Glass smooth on both
sides.

BLACK VSG 22.1 (2x2 mm)



4 mm thick.
Tempered glass.
Features smooth
and frosted side.


DARK GREY GLASS, Graphite matt



4 mm thick.
Tempered glass
with application
in black colour
on the frosted side.
Features smooth
and frosted side.


KUBUS application

*Pictures shown are for reference only, translucency depends on the intensity of light and proximity of objects.




4 mm thick.
Tempered glass with
application in white
colour on the frosted
side.
Features smooth
and frosted side.

With application TANGO



8 mm thick.
Tempered glass with
transparent application.
Features smooth
and frosted side.

With application WINDOOR IV




8 mm thick.
Tempered glass
with application in
white colour on the
frosted side.
Features smooth
and frosted side.

With application SPAGHETTI




8 mm thick.
Tempered glass.
Glass smooth
on both sides.

TRANSPARENT PLATO




8 mm thick.
Tempered glass.
Features smooth and
frosted side.

WHITE PLATO




4 mm thick.
Features smooth
gloss side.

BLACK LACOBEL




8 mm thick.
Tempered glass.
Glass smooth
on both sides.

GRAPHITE TRANSPARENT PLATO



4 mm thick.
Security glass.
Glass smooth
on both sides.

WHITE VSG 22.1



4 mm thick.
Features smooth
and frosted side.

SATINE


*Pictures shown are for reference only, translucency depends on the intensity of light and proximity of objects.

ADJUSTABLE TUNNEL DOOR FRAME V-RETTO



DIMENSIONS (MM)

DOOR FRAME WIDTH	A	B	C	D	E	F	G	H
60	602	624	686	784	2018 PL 1971 CZ	2029 PL 1982 CZ	2109 PL 2062 CZ	2060 PL 2013 CZ
70	702	724	786	884				
80	802	824	886	984				
90	902	924	986	1084				
100	1002	1024	1086	1184				
105	1052	1074	1136	1234				
110	1102	1124	1186	1284				
115	1152	1174	1236	1334				
120	1202	1224	1286	1384				
125	1252	1274	1336	1434				
130	1302	1324	1386	1484				
135	1352	1374	1436	1534				
140	1402	1424	1486	1584				
145	1452	1474	1536	1634				
150	1502	1524	1586	1684				
155	1552	1574	1636	1734				
160	1602	1624	1686	1784				
165	1652	1674	1736	1834				
170	1702	1724	1786	1884				
175	1752	1774	1836	1934				
180	1802	1824	1886	1984				
185	1852	1874	1936	2034				
190	1902	1924	1986	2084				
195	1952	1974	2036	2134				
200	2002	2024	2086	2184				




ADJUSTABLE TUNNEL DOOR FRAME



DIMENSIONS (MM)


DOOR FRAME WIDTH	A	B	C	D1 (MASKING BAND 60)	D2 (MASKING BAND 80)	E	F	G1 (MASKING BAND 60)	G2 (MASKING BAND 80)	H
60	602	624	686	744	784	2018 PL 1971 CZ	2029 PL 1982 CZ	2089 PL 2042 CZ	2109 PL 2062 CZ	2060 PL 2013 CZ
70	702	724	786	844	884					
80	802	824	886	944	984					
90	902	924	986	1044	1084					
100	1002	1024	1086	1144	1184					
105	1052	1074	1136	1194	1234					
110	1102	1124	1186	1244	1284					
115	1152	1174	1236	1294	1334					
120	1202	1224	1286	1344	1384					
125	1252	1274	1336	1394	1434					
130	1302	1324	1386	1444	1484					
135	1352	1374	1436	1494	1534					
140	1402	1424	1486	1544	1584					
145	1452	1474	1536	1594	1634					
150	1502	1524	1586	1644	1684					
155	1552	1574	1636	1694	1734					
160	1602	1624	1686	1744	1784					
165	1652	1674	1736	1794	1834					
170	1702	1724	1786	1844	1884					
175	1752	1774	1836	1894	1934					
180	1802	1824	1886	1944	1984					
185	1852	1874	1936	1994	2034					
190	1902	1924	1986	2044	2084					
195	1952	1974	2036	2094	2134					
200	2002	2024	2086	2144	2184					



FIXED TUNNEL DOOR FRAME



DIMENSIONS (MM)						
DOOR FRAME WIDTH	A	B	C	D	E	F
60	602	690	714	2018 PL 1971 CZ	2062 PL 2016 CZ	2074 PL 2028 CZ
70	702	790	814			
80	802	890	914			
90	902	990	1014			
100	1002	1090	1114			
105	1052	1140	1164			
110	1102	1190	1214			
115	1152	1240	1264			
120	1202	1290	1314			
125	1252	1340	1364			
130	1302	1390	1414			
135	1352	1440	1464			
140	1402	1490	1514			
145	1452	1540	1564			
150	1502	1590	1614			
155	1552	1640	1664			
160	1602	1690	1714			
165	1652	1740	1764			
170	1702	1790	1814			
175	1752	1840	1864			
180	1802	1890	1914			
185	1852	1940	1964			
190	1902	1990	2014			
195	1952	2040	2064			
200	2002	2090	2114			




CASING FRAME TUNNEL DOOR FRAME



DIMENSIONS (MM)

DOOR FRAME WIDTH	A	B	C	D (MASKING BAND 80)	E	F	G2 (MASKING BAND 80)	H
60	548	570	598	730	1991 PL 1944 CZ	2002 PL 1955 CZ	2082 PL 2035 CZ	2018 PL 1971 CZ
70	648	670	698	830				
80	748	770	798	930				
90	848	870	898	1030				
100	948	970	998	1130				
105	-	-	-	-				
110	1048	1070	1098	1230				
115	-	-	-	-				
120	1148	1170	1198	1330				
125	-	-	-	-				
130	1248	1270	1298	1430				
135	-	-	-	-				
140	1348	1370	1398	1530				
145	-	-	-	-				
150	1448	1470	1498	1630				
155	-	-	-	-				
160	1548	1570	1598	1730				
165	-	-	-	-				
170	1648	1670	1698	1830				
175	-	-	-	-				
180	1748	1770	1798	1930				
185	-	-	-	-				
190	1848	1870	1898	2030				
195	-	-	-	-				
200	1948	1970	1998	2130				





TORINO
VARNISHED DOOR
WING
page 136



FULL
BULAJ
page 132




FULL PLAIN
REVERSE
page 114




RUMBA
REBATED DOOR WING
page 34



www.voster.pl



Check where You
can buy our products



SALES REPRESENTATIVES

+48 609 482 500

The visualisations included in the catalogue show door wing width 80. In case of other widths of door wings, the glazing, glazing profiles will be different. The presented photos and decors may differ in colour from the original products. Please read assembly instruction and guarantee terms and condition before starting any works. Voster Company has the right to modify the offer included in the catalogue without prior notice.



Zarzecz, ul. Mickiewicza 155, 37-400 Nisko

tel. +48 15 870 14 44, +48 15 841 11 94, fax +48 15 870 14 85

e-mail: handlowy@voster.pl www.voster.pl



FIND US ON

[WWW.FACEBOOK.COM/VOSTER.DRZWI/](https://www.facebook.com/voster.drzwi/)



INSTAGRAM

[WWW.INSTAGRAM.COM/VOSTER_DRZWI/](https://www.instagram.com/voster_drzwi/)